

2017

Product Guide



SOFFIT



STEEL SIDING



ROOFING ACCESSORIES



RAINWARE



 **Rollex**
www.rollex.com



Trim Coil to Match Leading Siding Manufacturer Colors

– 24" x 50' Aluminum Trim Coil Only –

- **Available in Smooth and PVC Finishes**
 - Smooth painted over 280 White
- **Primed trim coil**
 - Custom match colors in the field
 - Works with many types of exterior grade paints



Smooth Color Matches By Manufacturer

Manufacturer	# of Colors Matched
CertainTeed	27
Crane	9
Everlast	14
Heartland	14
James Hardie	20
KP-ABTCO	10
Mitten	15
Royal	9
StyleCrest	26
Variform	12
Vytec	12

– See page 13 for more information

NEW FROM ROLLEX



**Beauty and Protection.
Together at Last.**

Woodland Steel Siding's leading-edge durable finish combines the beautiful look of stained cedar with the strength of steel. Elegantly finished with a blended dual tone color palette, Woodland Steel Siding can withstand decades of harsh weather.

UV reflective pigments within the Kynar® coating prevent fade and doesn't require repainting. Underneath this cutting edge coating, Woodland Steel Siding is hail resistant and guaranteed not to rust.



Features:

- Kynar® coating with UV pigments provide superior fade resistance
- Low Gloss finish in 9 beautiful colors
- Rich embossed woodgrain pattern
- Virtually maintenance free

You can have it all—good looks and lasting protection.

Available in 14 colors

SUN SCREEN FOR THE HOME

LOW
GLOSS
FINISH

CUTTING-EDGE TECHNOLOGY

That Shields Siding From
The Sun's Harmful Rays

Rollex Aurora Steel Siding with nova uvx4000 coating

- **MaxCoat** with embedded nylon fibers for long lasting durability, advanced scratch and abrasion protection
- **MoistureSeal** delivers superior chalk and fade resistance
- **Repel** is the ultimate defender against dirt and stains
- **Bondit** technology prevents chips, cracks and peeling

Now Available in 6", 7", 8", D4, D5 profiles and more

Table of Contents


Products that work as hard as you do...*beautifully.*



SOFFIT



STEEL SIDING



ROOFING ACCESSORIES



RAINWARE

Soffit & Accessories	3-9	Sidewall Flashing	62
System 3	3-4	Endwall Flashing	63
Tensile 44 / Double 6"	4-5	Rat Guard	63
Fascia	5-7	Ribbed Door Edge & Post Trim	63-64
Soffit Accessories	7-9	Door Track Cover	64
Trim Coil & Color Select	10-29	Rake & Corner Trim	65
Aluminum & Steel Trim Coil	10-12	Door Jamb Trim	66
Color Select Manufacturer Color Match Guide	13-15	Bottom Closure & Door Guide	66
Color Select Smooth Coil Color Match	16-23	Window Cap	67
PVC Coil Color Match	24-29	Drip Cap	68
Siding & Accessories	30-43	Window Flashing	68
Starter Strips	30	Brick Molding	68
Designer Collection Steel Siding	31	Brick Ledge & Deck Flashing	68
Designer Collection Steel Siding Access.	32-33	Fiber Cement Flashing	69
Aurora Steel Siding	33-34	Angle Flashing	69-71
Aurora Steel Siding Accessories	35-36	Double Angle Trim	71-72
Woodland Steel Siding	36-37	Base Flashing	72-73
Woodland Steel Siding Accessories	38-39	Rainware	74-80
Seneca Steel Siding	39-40	Aluminum Downspouts & Elbows	74
Seneca Steel Siding Accessories	40-41	Aluminum End Caps	75
Aluminum Siding	42	Aluminum Miters	75
Aluminum Siding Accessories	42-43	Aluminum Strip Miters & Pop Rivets	76
Metal Lath	43	Aluminum Pipe Bands	76
Roofing Accessories	44-59	Aluminum Outlet Tubes	76
Overhanging Roof Drip Edge	44	Aluminum K Slip Connectors	77
Steel Roof Edge	45-49	Aluminum Screw on Gutter Hangers	77
Gutter Apron	50	Aluminum Easy on Hangers	77
Flat Shingles/Baby Tin	50-51	Steel Downspouts & Elbows	77-78
Step Flashing	51-52	Steel Hangers	78
Roll Valley	52-57	Steel Kickout Flashing	79
W Valley	58-59	Steel Gutter & End Caps	79-80
Ridge Cap	59	Steel Miters & Slip Connectors	80
Flashing Accessories	60-73	Steel Pipe Bands	80
Steel Door Edge Cover	60	Steel Outlet Tubes	80
Deck & Angled Deck Flashing	60	Helpful Tools	81-96
Steel Framing Closure	61	Color Selection Guide	82-83
Steel Long Leg J Channel	61	Soffit Calculation Charts	84
J Trim	61	Color Matrix	85-88
Fascia Trim	62	Calculating Ventilation	89
Z Flashing	62	Frequently Asked Questions	90
Dormer & Reglet Flashings	62	Gutter Coil Conversion Charts	91-93
		Aluminum Building Products Warranty	94-95
		Architectural Specifications	96








Soffit & Fascia

Notes:

System 3

COLORS

ALL GENERAL COLORS

12"	Aluminum	 <p>Stock #A-SYS312-System 3 12" Solid Soffit Panel .019" Gauge LENGTH: 12' 16 PCS./CTN. 1.92 SQS. CTN. 63 LBS./CTN. 30 CTN./PALLET</p>
	Aluminum	 <p>Stock #A-SYS312L-System 3 12" Vented Soffit Panel .019" Gauge LENGTH: 12' 16 PCS./CTN. 1.92 SQS. CTN. 63 LBS./CTN. 30 CTN./PALLET</p>
	Aluminum	 <p>Stock #A-SYS312CV-System 3 12" Center Vented Soffit Panel .019" Gauge LENGTH: 12' 16 PCS./CTN. 1.92 SQS. CTN. 63 LBS./CTN. 30 CTN./PALLET</p>
16"	Aluminum	 <p>Stock #A-SYS316-System 3 16" Solid Soffit Panel .019" Gauge LENGTH: 12' 12 PCS./CTN. 1.92 SQS. CTN. 62 LBS./CTN. 30 CTN./PALLET</p>
	Aluminum	 <p>Stock #A-SYS316L-System 3 16" Vented Soffit Panel .019" Gauge LENGTH: 12' 12 PCS./CTN. 1.92 SQS. CTN. 62 LBS./CTN. 30 CTN./PALLET</p>


ALL GENERAL COLORS: Almond, Antique Almond, Black, Brandywine, Bright White/280, Bronze, Brown, Canvas, Clay, Cobblestone, Cornsilk, Cottage White, Evening Grey, Evergreen, Fieldstone, Forest Green, Heather, Mocha, Musket, Norwegian Wood, Sandcastle, Shell, Snowmist, Stone, Summer Suede, Sungold

System 3

COLORS

16"

Aluminum



**Stock #A-SYS316CV-
System 3
16" Center Vented
Soffit Panel**
.019" Gauge
LENGTH: 12'
12 PCS./CTN.
1.92 SQS. CTN.
62 LBS./CTN.
30 CTN./PALLET


**ALL GENERAL
COLORS**

Tensile 44

COLORS

12"


Aluminum



**Stock #A-T-
Tensile 12"
Solid Soffit Panel**
.016" Gauge
LENGTH: 12'
16 PCS./CTN.
1.92 SQS. CTN.
59 LBS./CTN.
30 CTN./PALLET

Almond
Bright White/280
Bronze
Brown
Clay
Musket
Norwegian Wood
Sandcastle
Snowmist


Aluminum



**Stock #A-TCV-
Tensile 12" Center
Vented Soffit Panel**
.016" Gauge
LENGTH: 12'
16 PCS./CTN.
1.92 SQS. CTN.
59 LBS./CTN.
30 CTN./PALLET


16"

Aluminum



**Stock #A-T16-
Tensile 16"
Solid Soffit Panel**
.016" Gauge
LENGTH: 12'
12 PCS./CTN.
1.92 SQS. CTN.
58 LBS./CTN.
30 CTN./PALLET

Aluminum





**Stock #A-T16CV-
Tensile 16" Center
Vented Soffit Panel**
.016" Gauge
LENGTH: 12'
12 PCS./CTN.
1.92 SQS. CTN.
58 LBS./CTN.
30 CTN./PALLET

ALL GENERAL COLORS: Almond, Antique Almond, Black, Brandywine, Bright White/280, Bronze, Brown, Canvas, Clay, Cobblestone, Cornsilk, Cottage White, Evening Grey, Evergreen, Fieldstone, Forest Green, Heather, Mocha, Musket, Norwegian Wood, Sandcastle, Shell, Snowmist, Stone, Summer Suede, Sungold




Double 6"

COLORS

12"	Aluminum	 <p>Stock #A-ASVP12-Double 6" Soffit Solid .019" Gauge LENGTH: 12' 16 PCS./CTN. 1.92 SQS. CTN. 60 LBS./CTN. 30 CTN./PALLET</p>	ALL GENERAL COLORS
	Aluminum	 <p>Stock #A-ALVP12-Double 6" Soffit Vented .019" Gauge LENGTH: 12' 16 PCS./CTN. 1.92 SQS. CTN. 60 LBS./CTN. 30 CTN./PALLET</p> <p>Free air space: 14.09 sq. inches per lin. ft.</p>	

Fascia Covers

COLORS






4"	Aluminum	 <p>Stock #B-SL4- & B-SL4WG-Aluminum Fascia .024" Gauge Smooth & Woodgrain Finish LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 46 LBS./CTN. 50 CTN./PALLET</p>	Almond Black Brandywine Bright White/280 Bronze Brown Clay Cottage White Evening Grey	Evergreen Forest Green Heather Mocha Musket Norwegian Wood Sandcastle Snowmist Summer Suede
	Steel	 <p>Stock #S-SSL4TP-SL-4 Steel Fascia Woodgrain Finish LENGTH: 12' 10 PCS./CTN. 120 FT./CTN. 39 LBS./CTN. 49 CTN./PALLET</p>	Barn Red Bronze Brown Carmel Clay Cobblestone Evening Grey	Norwegian Wood Pacific Blue Sage Sandcastle Snowmist Sungold
6"	Aluminum	 <p>Stock #B-SL6- & B-SL6WG-Aluminum Fascia .024" Gauge Smooth & Woodgrain Finish LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 60 LBS./CTN. 50 CTN./PALLET</p>	ALL GENERAL COLORS	

ALL GENERAL COLORS: Almond, Antique Almond, Black, Brandywine, Bright White/280, Bronze, Brown, Canvas, Clay, Cobblestone, Cornsilk, Cottage White, Evening Grey, Evergreen, Fieldstone, Forest Green, Heather, Mocha, Musket, Norwegian Wood, Sandcastle, Shell, Snowmist, Stone, Summer Suede, Sungold

Aluminum Almond fascia does not match Aurora Almond color. Please order S-SSL6TK or S-SSL8TK when matching Aurora finish.

Fascia Covers

COLORS



6"	Steel		Stock #S-SSL6TP-SL-6 Steel Fascia Woodgrain Finish LENGTH: 12' 10 PCS./CTN. 120 FT./CTN. 49 LBS./CTN. 49 CTN./PALLET	Barn Red Bronze Brown Carmel Clay Cobblestone Cottage White Evening Grey Forest Green	Heather Norwegian Wood Pacific Blue Sage Sandcastle Sea Breeze Snowmist Sungold
	Steel		Stock #S-SSL6TK-SL-6 Steel Fascia Woodgrain Finish LENGTH: 12' 10 PCS./CTN. 120 FT./CTN. 49 LBS./CTN. 49 CTN./PALLET Matches Aurora Steel Siding Finish	Almond Barn Red Cypress Evening Grey Forest Green Grey Mist Norwegian Wood	Pacific Blue Pebble Sandcastle Seaport Blue Snowmist Sungold Walnut
8"	Aluminum		Stock #B-SL8- & B-SL8WG-Aluminum Fascia .024" Gauge Smooth & Woodgrain Finish LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 74 LBS./CTN. 50 CTN./PALLET	ALL GENERAL COLORS	
	Steel		Stock #S-SSL8TP-SL-8 Steel Fascia Woodgrain Finish LENGTH: 12' 10 PCS./CTN. 120 FT./CTN. 62 LBS./CTN. 36 CTN./PALLET	Barn Red Bronze Brown Carmel Clay Cobblestone Evening Grey	Norwegian Wood Pacific Blue Sage Sandcastle Snowmist Sungold
	Steel		Stock #S-SSL8TK-SL-8 Steel Fascia Woodgrain Finish LENGTH: 12' 10 PCS./CTN. 120 FT./CTN. 62 LBS./CTN. 36 CTN./PALLET Matches Aurora Steel Siding Finish	Almond Barn Red Cypress Evening Grey Forest Green Grey Mist Norwegian Wood	Pacific Blue Pebble Sandcastle Seaport Blue Snowmist Sungold Walnut

ALL GENERAL COLORS: Almond, Antique Almond, Black, Brandywine, Bright White/280, Bronze, Brown, Canvas, Clay, Cobblestone, Cornsilk, Cottage White, Evening Grey, Evergreen, Fieldstone, Forest Green, Heather, Mocha, Musket, Norwegian Wood, Sandcastle, Shell, Snowmist, Stone, Summer Suede, Sungold

Aluminum Almond fascia does not match Aurora Almond color. Please order S-SSL6TK or S-SSL8TK when matching Aurora finish.




Fascia Covers

COLORS

10"	Aluminum	 <p>Stock #B-SL10-, B-SL10WG- Aluminum Fascia .024" Gauge Smooth & Woodgrain Finish LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 91 LBS./CTN. 24 CTN./PALLET</p>	Almond Black Brandywine Bright White/280 Bronze Brown Canvas Clay Cottage White Evening Grey	Evergreen Forest Green Heather Mocha Norwegian Wood Sandcastle Shell Snowmist Stone
	Steel	 <p>Stock #S-SSL10TP-SL-10 Steel Fascia Woodgrain Finish LENGTH: 12' 10 PCS./CTN. 120 FT./CTN. 73 LBS./CTN. 24 CTN./PALLET</p>	Snowmist	

Soffit Accessories

COLORS






Aluminum	 <p>Stock #D-KI-/D-KO- D-KIWG-/D-KOWG- Inside & Outside Corners for 1X Fascia Smooth & Woodgrain Finish 10 PCS./CTN. 1 LBS./CTN.</p>	ALL GENERAL COLORS
Aluminum	 <p>Stock #C-S-F Channel Soffit Starter LENGTH: 12' 20 PCS./CTN. 240 FT./CTN. 27 LBS./CTN. 54 CTN./PALLET</p>	
Aluminum	 <p>Stock #C-C-Cove Molding Soffit Starter LENGTH: 12' 20 PCS./CTN. 240 FT./CTN. 24 LBS./CTN. 24 CTN./PALLET</p>	

ALL GENERAL COLORS: Almond, Antique Almond, Black, Brandywine, Bright White/280, Bronze, Brown, Canvas, Clay, Cobblestone, Cornsilk, Cottage White, Evening Grey, Evergreen, Fieldstone, Forest Green, Heather, Mocha, Musket, Norwegian Wood, Sandcastle, Shell, Snowmist, Stone, Summer Suede, Sungold

Aluminum Almond fascia does not match Aurora Almond color. Please order S-SSL6TK or S-SSL8TK when matching Aurora finish.

Soffit Accessories

COLORS


Aluminum		<p>Stock #C-RS- Reversible F Channel Soffit Starter</p> <p>LENGTH: 12' 20 PCS./CTN. 240 FT./CTN. 25 LBS./CTN. 50 CTN./PALLET</p>	<p>ALL GENERAL COLORS</p>
Aluminum		<p>Stock #D-MD- Miter Divider</p> <p>LENGTH: 12' 10 PCS./CTN. 120 FT./CTN. 15 LBS./CTN. 66 CTN./PALLET</p>	
Aluminum		<p>Stock #C-E- Utility Trim & J Channel Soffit Starter Strip</p> <p>LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 19 LBS./CTN. 66 CTN./PALLET</p>	
Aluminum		<p>Stock #C-AFR119 1/2" F-Channel for Double 6" Soffit</p> <p>LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 38 LBS./CTN.</p>	
Aluminum		<p>Stock #C-AWFJ12 1/2" J-Channel for Double 6" Soffit</p> <p>LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 19 LBS./CTN.</p>	

ALL GENERAL COLORS: Almond, Antique Almond, Black, Brandywine, Bright White/280, Bronze, Brown, Canvas, Clay, Cobblestone, Cornsilk, Cottage White, Evening Grey, Evergreen, Fieldstone, Forest Green, Heather, Mocha, Musket, Norwegian Wood, Sandcastle, Shell, Snowmist, Stone, Summer Suede, Sungold

Soffit Accessories

COLORS


Aluminum



Stock #D-RDCR19
1/2" Miter Divider

LENGTH: 10'
10 PCS./CTN.
100 FT./CTN.
16 LBS./CTN.

**ALL GENERAL
COLORS**




Stock #D-NAILS-
Aluminum 1-1/4"
Trim Nails

(MINIMUM ORDER
4 BOXES OR 1 LB.)

Stock #S-STNAIL-
Stainless Steel
1-1/4" Painted

1 LB. BOX
All steel and aluminum colors




Stock #D-JAR-
Touch-up
Paint in Jar

1 OZ. JAR



Stock #H-CAULK-
Siding Caulk

11 oz. cartridge
12 PCS./CTN.
11 LBS./CTN.
24 CTN./PALLET



Stock #D-CAN-
Spray Touch-up
Paint

4.5 OZ.
SPRAY CAN

**(Black Spray Touch-up paint not available)

ALL GENERAL COLORS: Almond, Antique Almond, Black, Brandywine, Bright White/280, Bronze, Brown, Canvas, Clay, Cobblestone, Cornsilk, Cottage White, Evening Grey, Evergreen, Fieldstone, Forest Green, Heather, Mocha, Musket, Norwegian Wood, Sandcastle, Shell, Snowmist, Stone, Summer Suede, Sungold










Trim Coil & Color Select

Notes:

Trim Coil






COLORS

24"	Aluminum		Stock #F-24x50- Aluminum Trim Coil .019" Gauge Coated Two Sides Painted Color over Snowmist 24" X 50' 1 COIL/CTN. 25 LBS./CTN. 32 COILS/PALLET	Almond Antique Almond Black Brandywine Bright White/280 Bronze Brown Canvas Clay Cobblestone Cornsilk Cottage White Evening Grey	Evergreen Fieldstone Forest Green Heather Mocha Musket Norwegian Wood Sandcastle Shell Snowmist Stone Summer Suede Sungold
	Aluminum		Stock #F-24REV280- Color painted over 280 white		
	Aluminum		Stock #P-24x50P- PVC Aluminum Trim Coil Striated Finish 24" X 50' 1 COIL/CTN. 27 LBS./CTN. 32 COILS/PALLET		
	Aluminum		Stock #F-24x50T- Aluminum Woodgrain Trim Coil Woodgrain Finish 24" X 50' 1 COIL/CTN. 25 LBS./CTN. 32 COILS/PALLET	Bright White/280 Bronze Brown Clay Forest Green	Mocha Musket Norwegian Wood Snowmist Stone
	Steel		Stock #F-18x50- Steel Woodgrain Woodland Trim Coil Woodgrain Finish 18" X 50' 1 COIL/CTN. 25 LBS./CTN. 32 COILS/PALLET	Ash Cherry Douglas Fir Driftwood Mossy Oak	Redwood River Bank River Birch Sycamore White Poplar
	Aluminum		Stock #F-2424TC*- Aluminum Trim Coil .024" Gauge Smooth Finish 1 COIL/CTN. 24" X 50' 34 LBS./CTN. 32 COILS/PALLET	Bright White/280 over Bright White/280 Bronze over Snowmist Brown over Clay Black over Brown	*Not Available in PVC
18"	Steel		Stock #S-S18TCP- 18" PVC Steel Trim Coil Striated Finish 18" x 50' 56 LBS./CTN. 16 COILS/PALLET	Barn Red Bronze Brown Carmel Clay Cobblestone Evening Grey	Norwegian Wood Pacific Blue Sage Sandcastle Snowmist Sungold

Do not apply trim coil in direct contact with treated lumber

Trim Coil

COLORS

18"	Steel		Stock #S-S18TCK-18" Aurora Steel Trim Coil 18" x 50' 56 LBS./CTN. 16 COILS/PALLET	Almond Barn Red Cypress Evening Grey Forest Green Grey Mist Norwegian Wood	Pacific Blue Pebble Sandcastle Seaport Blue Snowmist Sungold Walnut
14 ^{5/8} "	Steel		Stock #S-STCTP-14-5/8" PVC Steel Trim Coil Woodgrain Finish 14-5/8" x 50' 50 LBS./CTN. 16 COILS/PALLET	Barn Red Bronze Brown Carmel Clay Cobblestone Evening Grey Norwegian Wood	Pacific Blue Sage Sandcastle Snowmist Sungold
	Steel		Stock #S-STCTK-14-5/8" Aurora Steel Trim Coil Woodgrain Finish 14-5/8" x 50' 50 LBS./CTN. 16 COILS/PALLET	Almond Barn Red Cypress Evening Grey Forest Green Grey Mist Norwegian Wood	Pacific Blue Pebble Sandcastle Seaport Blue Snowmist Sungold Walnut
14"	Aluminum		Stock #F-14x50-Aluminum Trim Coil Coated Two Sides Painted Color over Snowmist Smooth Finish 14" x 50' 1 COIL/CTN. 15 LBS./CTN. 48 COILS/PALLET	Almond Bright White/280 Bronze Brown Clay Evergreen Forest Green Heather Mocha Norwegian Wood Sage Sandcastle Snowmist Stone	
14"	Aluminum		Stock #F-14x50T-Aluminum Trim Coil Coated two sides Woodgrain Finish 14" x 50' 1 COIL/CTN. 15 LBS./CTN. 48 COILS/PALLET		

Trim Coil

COLORS

10 ⁷ / ₁₆ "	Steel	 <p>Stock #S-S10TCP-10-7/16" PVC Steel Trim Coil Woodgrain Finish 10-7/16" x 50' 33 LBS./CTN. 48 COILS/PALLET</p>	Barn Red Bronze Brown Carmel Clay Cobblestone Evening Grey	Norwegian Wood Pacific Blue Sage Sandcastle Snowmist Sungold
	Steel	 <p>Stock #S-S10TCK-10-7/16" Aurora Steel Trim Coil Woodgrain Finish 10-7/16" x 50' 33 LBS./CTN. 48 COILS/PALLET</p>	Almond Barn Red Cypress Evening Grey Forest Green Grey Mist Norwegian Wood Pacific Blue Pebble	Sandcastle Seaport Blue Snowmist Sungold Walnut



Aluminum Trim Coil

Wrap Your Projects Beautifully

Formulated to meet the demands of field forming, Color Select aluminum trim coil installs crisp and flat. It's rugged yet flexible finish protects against cracking, chipping and flaking while offering exceptional scratch resistance. With Color Select, your projects are protected from the harshest elements for a lifetime of virtually maintenance free beauty.

- Offered in wide range of colors to match popular siding manufacturers like Certainteed, Royal, Crane, James Hardie, Stylecrest and More!

Primed Aluminum Trim Coil

NEW from Rollex, we are now offering a primed aluminum trim coil product that can be painted in the field to match any custom color.

Check The Website

To view the latest Color Select colors please visit www.colorselectcoil.com.

Manufacturer Color Match Selection Guide

CERTAINTEEED


COLOR NAME	Smooth	PVC
Arbor Blend	108	-
Arctic Blend/Charcoal Gray	409*	N77
Autumn Red	414*	R53
Autumn Yellow	322*	-
Buckskin	254*	N54*
Canyon Blend	109	-
Castle Stone	105	-
Cypress	255	N55
Desert Tan	054	827
Flagstone	331*	V31
Forest	777*	-
Glacier Blend	-	N20*
Granite Gray	682	N82
Green Tea	106	-
Hearthstone	332*	V32
Heritage Cream	683	N83
Herringbone	-	N84*
Light Maple	155	P15
Linen/Meadow Blend	781*	-
Musket Brown	309	909
Natural Clay	714	805
Oxford Blue	717*	817*
Pacific Blue	319	319
Sable Brown	169	869
Sandpiper	320*	V20*
Sandstone Beige	050	850
Savannah Wicker	685	N85
Seagrass	TCS*	VCS*
Silver Ash	161	-
Snow/ White Colonial	280	859/878
Spruce	330*	V30*
Sterling Gray	055	897*
Suede	329*	V29*
Terra Cotta	111	-
Timber Blend	689	-
Warm Sand	107	-

CRANE

COLOR NAME	Smooth	PVC
Aspen White	280	878
Clay	067	805
Country Beige	509	809
Cypress	722	R22*
Greystone	174	874
Ivory	511	802
Lighthouse Red	-	N92
Mocha	161	928*
Musket Brown	-	909
Pearl	050	850
Rye	658	-
Saddle	750	R50

EVERLAST

COLOR NAME	Smooth	PVC
Antique Ivory	748	R48
Cabernet Red	364	V64
Canvas	750	R50
Chestnut	407	V63
Flagstone	331	V31
Harbor Blue	365	V65
Heritage Cream	TUI	N56
Misty Taupe	367	V67
Polar White	280	878
Sand Dune	066	978
Seaside Gray	366	V66
Slate	677	N77
Spanish Moss	411	V62
Willow	255	N55

 Indicates product is available in Perfect Trim™ PLUS color

*32 roll minimum or \$7.00/roll surcharge - no minimum all other colors

Manufacturer Color Match Selection Guide

JAMES HARDIE

COLOR NAME	Smooth	PVC
Aged Pewter	H99	-
Arctic White	904	904
Autumn Tan	912	912
Boothbay Blue	910	910
Cobblestone	902	902
Deep Ocean	708	-
Evening Blue	907	907
Gray Slate	977	-
Heathered Moss	955	-
Iron Gray	919	919
Khaki Brown	903	903
Light Mist	361	-
Monterey Taupe	362	-
Mountain Sage	908	908
Navajo Beige	905	905
Night Gray	707	-
Rich Espresso	005	-
Sail Cloth	906	906
Timber Bark	969	-
Woodstock Brown	900	900

HEARTLAND

COLOR NAME	Smooth	PVC
Almond	713	-
Aspen	411	V62
Birchwood	050	850
Camel	254*	N54*
Canyon	407	V63
Clay	-	N95
Cream	051	-
Deep Brown	-	909
Everest	TCS*	VCS*
Granite	677	N77
Gray	055	855
Linen	034	-
Mist	781*	-
Pewter	183	-
Sage	255	N55
Sandalwood	611*	999*
White	280	878

MITTEN

COLOR NAME	Smooth	PVC
Arizona Tan	-	N26*
Ash	161	-
Aviator Green	699	-
Bone	-	972
Brownstone	695	N95
Clay	621	-
Cypress	255	N55
Flagstone	-	N20*
Hearthstone	742	R42
Ivory	511	802
Khaki Brown	23	-
Light Maple	-	N98*
Muskoka Green	777*	-
Richmond Red	692*	N92
Rockaway Grey	22	22
Sandalwood	611*	999*
Sandcastle	066	978
Sahara Brown	329*	V29*
White Frost	280	878

STYLECREST

COLOR NAME	Smooth	PVC
Adobe Clay	067	-
Almond	TAD	VAD
Artisan Clay	752	R52
Autumn Taupe	161	928*
Basket Beige	TSA	VSA
Canyon Brown	169	869
Champagne	049	P91
Charcoal	-	V41
Charcoal Grey / Graphite Grey	174	874
Classic Sand	050	879
Concord Green	-	812*
Countryside Green	115	N15
Granite Gray	627	N27
Hampton Blue	680*	N80*
Harbor Stone	055	855
Heritage Red	692*	N92
High Sierra	714	805
Java	689	N75
Keystone	374*	V74*
Maple	052	852
Meadow	722	R22*
Musket Brown	309	909
New Linen	TUU*	VUU
Nutmeg	769	R69
Oak Moss	057*	857*
Pebble Clay	067	805
Providence Yellow	-	N35*
Sandstone	058	858
Seagrass	411	V62
Slate Blue	629	N29
Summer Wheat	155	930
Sunny Maize	632	N32
Tan	054	827
Topaz	-	V17*
Twilight	767*	R67*
Vintage Sage/Soft Willow	062*	865*
Warm Sandalwood	509	809
White Birch	280	878
Wicker Beige	712	981

ROYAL

COLOR NAME	Smooth	PVC
Brownstone	695	N95
Clay	658	-
Driftwood	049	P91
Harvard Slate	-	874
Linen	-	972
Meadow Green	699	V62
Musket Brown	729	-
Sand	066	978
Soft Maple	155	N98*
Victorian Gray	638	-
White	280	878
Wicker	045	981

VARIFORM

COLOR NAME	Smooth	PVC
Autumn Beige	795	-
Canyon	407	V63
Delray Sand	051	851
Dover White	280	878
Georgian Gray	056	856
Granite	409*	-
Graphite Gray	183	-
Island Pearl	050	-
Musket Brown	309	909
Natural Almond	713	-
Sandstone	750	R50
Sandy Tan	177	-
Willow	411	V62

Color Select: 24"x50' Smooth Coil Color Match

Company		StyleCrest®	CertainTeed	Mitten®	Variform®	James Hardie®	Everlast™	Royal®	Crane®	Heartland
Code	Name									
005	Rich Espresso					Rich Espresso				
22	Slate Grey			Rockaway Grey						
23	Timber Brown			Khaki Brown						
24	Antique Parchment									
42	Sea Breeze									
045	Wicker								Wicker	
47	Cottage White									
050	Beige	Classic Sand	Sandstone Beige		Island Pearl			Pearl		Birchwood
054	Tan	Tan	Desert Tan							
056	Silver				Georgian Gray					
057	Oak Moss*	Oak Moss								
058	Sand	Sandstone								
60	Carmel									
61	Acorn									
62	Sage									
062	Vintage Sage*	Vintage Sage/Soft Willow								
63	Blue Granite									
063	Colonial Beige									
066	Sand Dune			Sandcastle			Sand Dune		Sand	
79	Canvas									
105	Castle Stone		Castle Stone							
106	Green Tea		Green Tea							
107	Warm Sand		Warm Sand							
108	Arbor Blend		Arbor Blend							
109	Canyon Blend		Canyon Blend							
111	Terra Cotta		Terra Cotta							
115	Countryside Green	Countryside Green								
155	Light Maple	Summer Wheat	Light Maple		Soft Maple					
161	Silver Ash	Autumn Taupe	Silver Ash	Ash		Mocha				
168	Pacific Blue*		Pacific Blue							
169	Sable Brown	Canyon Brown	Sable Brown							
174	Storm-Gray	Charcoal Grey/Graphite Grey							Greystone	
177	Sandy Beige				Sandy Tan					
183	Flint				Graphite Gray					
200	Black									
202	Royal Brown									
249	Bronze									
254	Buckskin*	Buckskin							Camel	

*32 roll minimum or \$7.00/roll surcharge - no minimum all other colors

Color Select: 24"x50' Smooth Coil Color Match

Company		StyleCrest	CertainTeed	Mitten	Variform	James Hardie	Everlast	Royal	Crane	Heartland
Code	Name									
255	Cypress		Cypress	Cypress			Willow			Sage
280	280 White	White Birch	Snow/ White Colonial	White Frost		Dover White	Polar White	White	Aspen White	White
309	Musket Brown	Musket Brown	Musket Brown			Musket Brown				
315	Barn Red									
319	Pacific Blue									
320	Sandpiper*		Sandpiper							
322	Autumn Yellow*		Autumn Yellow							
329	Suede*		Suede	Sahara Brown						
330	Spruce*		Spruce							
331	Flagstone		Flagstone				Flagstone			
332	Hearthstone*		Hearthstone							
361	Light Mist					Light Mist				
362	Taupe					Monterey Taupe				
364	Cabernet Red						Cabernet Red			
365	Harbor Blue						Harbor Blue			
366	Seaside Gray						Seaside Gray			
367	Misty Taupe						Misty Taupe			
374	Keystone*	Keystone								
407	Chestnut				Canyon		Chestnut			Canyon
409	Granite		Arctic Blend/Charcoal Gray		Granite					
411	Seagrass	Seagrass			Willow		Spanish Moss			Aspen
414	Autumn Red*		Autumn Red							
509	Country Beige	Warm Sandalwood							Country Beige	
511	Ivory			Ivory					Ivory	
522	Russet									
611	Sandalwood*			Sandalwood						Sandalwood
621	Clay			Clay						
628	Tumbleweed Tan									
629	Slate Blue	Slate Blue								
631	Cobblestone Clay									

*32 roll minimum or \$7.00/roll surcharge - no minimum all other colors

Color Select: 24"x50' Smooth Coil Color Match

Company	Style	Crest	Certain	Teed	Mitten	Variform	James Hardie	Everlast	Royal	Crane	Heartland
Code	Name										
632	Sunny Maize	Sunny Maize									
638	Victorian Gray								Victorian Gray		
656	Almond										
658	Clay								Clay	Rye	
670	Dusk										
677	Slate							Slate			Granite
680	Hampton Blue*	Hampton Blue									
682	Granite Gray		Granite Gray								
683	Heritage Cream		Heritage Cream								
685	Savannah Wicker		Savannah Wicker								
689	Timber Blend	Java	Timber Blend		Khaki Brown						
692	Richmond Red*	Heritage Red			Richmond Red						
695	Brownstone				Brownstone				Brownstone		
699	Aged Pewter				Aviator Green				Meadow Green		
707	Night Gray						Night Gray				
708	Deep Ocean						Deep Ocean				
712	Wicker Beige	Wicker Beige									
713	Almond					Natural Almond					Almond
714	Sierra	High Sierra	Natural Clay								
717	Oxford Blue*		Oxford Blue								
722	Meadow	Meadow								Cypress	
727	Tan-Beige										
729	Musket Brown								Musket Brown		
736	Chelsea Blue White										
742	Wicker			Hearthstone							
745	Almond										
748	Antique Ivory							Antique Ivory			

*32 roll minimum or \$7.00/roll surcharge - no minimum all other colors

Color Select: 24"x50' Smooth Coil Color Match

Company	Style	Crest	Certain	Teed	Mitten	Variform	James Hardie	Everlast	Royal	Crane	Heartland
Code	Name										
750	Sandstone					Sandstone		Canvas		Saddle	
757	Cameo										
767	Twilight*	Twilight									
769	Mocha	Nutmeg									
777	Forest*		Forest	Muskoka Green							
781	Meadow Blend*	Linen/Meadow Blend									Mist
789	Linen										
795	Autumn Beige					Autumn Beige					
900	Woodstock Brown						Woodstock Brown				
902	Cobblestone						Cobblestone				
903	Khaki Brown						Khaki Brown				
904	Arctic White						Arctic White				
905	Navajo Beige						Navajo Beige				
906	Sail Cloth						Sail Cloth				
907	Evening Blue						Evening Blue				
908	Mountain Sage						Mountain Sage				
910	Boothbay Blue						Boothbay Blue				
912	Autumn Tan						Autumn Tan				
919	Iron Gray						Iron Gray				
955	Heathered Moss						Heathered Moss				
969	Timber Bark						Timber Bark				
977	Gray Slate						Gray Slate				
200/202	Black Over Royal Brown										
G23	Duratex White										
H99	Aged Pewter						Aged Pewter				
T4I	Charcoal Gray	Charcoal Gray									
TAD	Almond										
TCS	Fern*	Seagrass									Everest
TFG	Forest Green										
TMK	Musket										
TUI	Heritage Cream							Heritage Cream			
TUU	New Linen*	New Linen									

*32 roll minimum or \$7.00/roll surcharge - no minimum all other colors

Color Select: 24"x50' PVC Coil Color Match

Company		StyleCrest	CertainTeed	Mitten	Variform	James Hardie	Everlast	Royal	Crane	Heartland
Code	Name									
4	Black									
22	Slate Gray			Rockaway Gray						
23	Timber Brown			Khaki Brown						
24	Antique Parchment									
40	Heather									
42	Sea Breeze									
45	Forest Green									
47	Cottage White									
60	Carmel									
61	Acorn									
62	Sage									
63	Blue Granite									
79	Canvas									
315	Barn Red									
319	Pacific Blue								Ivory	
802	Ivory			Ivory						
805	Sierra	High Sierra/ Pebble Clay	Natural Clay						Clay	
806	Grecian Green									
809	Country Beige	Warm Sandalwood							Country Beige	
812	Concord Green*	Concord Green								
817	Oxford Blue*		Oxford Blue							
827	Tan	Tan	Desert Tan							
850	Beige		Sandstone Beige						Pearl	Birchwood
851	Cream									
852	Wheat	Maple								
855	Gray	Harbor Stone								Gray
856	Silver				Georgian Gray					
857	Oak Moss*	Oak Moss								
858	Sand	Sandstone								
859	Snow White		Snow							
865	Vintage Sage*	Vintage Sage								
869	Sable Brown	Canyon Brown	Sable Brown							
874	Storm Gray	Charcoal Grey / Graphite Grey						Havard Slate	Greystone	
878	White	White Birch	White Colonial	White Frost	Dover White		Polar White	White	Aspen White	White
879	Desert Sand	Classic Sand								
889	Royal Brown									
897	Sterling Gray*		Sterling Gray							
900	Woodstock Brown					Woodstock Brown				
902	Cobblestone					Cobblestone				
903	Khaki Brown					Khaki Brown				
904	Arctic White					Arctic White				
905	Navajo Beige					Navajo Beige				

*32 roll nimum or \$7.00/roll surcharge - no minimum all other colors

Color Select: 24"x50' PVC Coil Color Match

Company		StyleCrest	CertainTeed	Mitten	Variform	James Hardie	Everlast	Royal	Crane	Heartland
Code	Name									
906	Sail Cloth					Sail Cloth				
907	Evening Blue					Evening Blue				
908	Mountain Sage					Mountain Sage				
909	Musket Brown	Musket Brown	Musket Brown		Musket Brown				Musket Brown	Deep Brown
910	Boothbay Blue					Boothbay Blue				
912	Autumn Tan					Autumn Tan				
919	Iron Gray					Iron Gray				
928	Autumn Taupe*	Autumn Taupe							Mocha	
930	Summer Wheat	Summer Wheat								
972	Bone			Bone				Linen		
978	Sandcastle			Sandcastle			Sand Dune	Sand		
981	Wicker	Wicker Beige						Wicker		
999	Sandalwood*			Sandalwood						Sandalwood
N15	Canyon Green	Countryside Green								
N20	Flagstone*		Glacier Blend	Flagstone						
N22	Russett									
N26	Saddle Brown*			Arizona Tan						
N27	Granite Gray	Granite Gray								
N28	Tumbleweed Tan									
N29	Wedgewood Blue	Slate Blue								
N31	Cobblestone Clay									
N32	Sunny Maize	Sunny Maize								
N35	Providence Yellow*	Providence Yellow								
N54	Buckskin*		Buckskin							Camel
N55	Cypress		Cypress	Cypress			Willow			Sage
N56	Heritage Cream						Heritage Cream			
N60	Khaki									
N75	Java	Java								
N77	Charcoal Gray		Charcoal Gray				Slate			Granite
N80	Hampton Blue*	Hampton Blue								
N82	Granite Gray		Granite Gray							
N83	Heritage Cream		Heritage Cream							
N84	Herringbone*		Herringbone							
N85	Savannah Wicker		Savannah Wicker							

*32 roll minimum or \$7.00/roll surcharge - no minimum all other colors

Color Select: 24"x50' PVC Coil Color Match





Company		<u>StyleCrest</u>	<u>CertainTeed</u>	<u>Mitten</u>	<u>Variform</u>	<u>James Hardie</u>	<u>Everlast</u>	<u>Royal</u>	<u>Crane</u>	<u>Heartland</u>
Code	Name									
N92	Heritage Red	Heritage Red		Richmond Red					Lighthouse Red	
N95	Brownstone			Brownstone				Brownstone		Clay
N98	Light Maple*			Light Maple				Soft Maple		
P15	Light Maple		Light Maple							
P91	Champagne	Champagne						Driftwood		
P94	Linen									
R18	White									
R22	Meadow*	Meadow							Cypress	
R42	Hearthstone			Hearthstone						
R48	Classic Cream						Antique Ivory			
R50	Sandstone				Sandstone		Canvas		Saddle	
R52	Artisan Clay	Artisan Clay								
R53	Firebrick		Autumn Red							
R61	Blue White									
R67	Twilight*	Twilight								
R69	Canyon Ridge	Nutmeg								
V17	Topaz*	Topaz								
V20	Sandpiper*		Sandpiper							
V29	Suede*		Suede	Sahara Brown						
V30	Spruce*		Spruce							
V31	Flagstone		Flagstone				Flagstone			
V32	Hearthstone*		Hearthstone							
V41	Charcoal Gray	Charcoal								
V62	Seagrass	Seagrass			Willow		Spanish Moss	Meadow Green		Aspen
V63	Chestnut				Canyon		Chestnut			Canyon
V64	Cabernet Red						Cabernet Red			
V65	Harbor Blue						Harbor Blue			
V66	Seaside Gray						Seaside Gray			
V67	Misty Taupe						Misty Taupe			
V74	Keystone*	Keystone								
VAD	Almond	Almond								
VCK	Coastal Dune									
VCS	Fern*		Seagrass							Everest
VMM	Musket Brown									
VSA	Sandstone	Basket Beige								
VUU	New Linen	New Linen								



Siding

Notes:






Siding Starter Strips

Steel	<div data-bbox="337 191 646 583">  </div> <div data-bbox="690 191 974 390"> <p>Stock #S-STEELSSV- Steel Starter Strip Striated Finish</p> <p>LENGTH: 10' 25 PCS./CTN. 250 FT./CTN. 43 LBS./CTN. 24 CTN./PALLET</p> </div>
Steel	<div data-bbox="337 667 646 898">  </div> <div data-bbox="690 695 974 894"> <p>Stock #S-STEELSS3- 3" Steel Starter Strip Striated Finish</p> <p>LENGTH: 10' 25 PCS./CTN. 250 FT./CTN. 54 LBS./CTN. 24 CTN./PALLET</p> </div>
Steel	<div data-bbox="337 982 646 1245">  </div> <div data-bbox="690 1031 974 1230"> <p>Stock #S-STEELSS4- 4" Steel Starter Strip Striated Finish</p> <p>LENGTH: 10' 25 PCS./CTN. 250 FT./CTN. 67 LBS./CTN. 24 CTN./PALLET</p> </div>
Aluminum	<div data-bbox="337 1367 646 1549">  </div> <div data-bbox="690 1346 1088 1566"> <p>Stock #E-SSV- Aluminum Universal Starter Strip For Aluminum and Vinyl Siding</p> <p>LENGTH: 10' 50 PCS./CTN. 500 FT./CTN. 35 LBS./CTN. 36 CTN./PALLET</p> </div>

NO COLOR CHOICES AVAILABLE ON STARTER STRIPS

Designer Collection Steel Siding

COLORS







D4	Steel		<p>Stock #S-SD4HTP-Double 4" Non-Insulated Siding 28 Gauge, Woodgrain Finish LENGTH: 12'6" 1 SQS./CTN. 12 PCS./CTN. 97 LBS./CTN. 36 CTN./PALLET</p>
D5	Steel		<p>Stock #S-SD5HTP-Double 5" Non-Insulated Siding 28 Gauge, Woodgrain Finish LENGTH: 12' 1 SQS./CTN. 10 PCS./CTN. 90 LBS./CTN. 36 CTN./PALLET</p>
D5	Steel		<p>Stock #S-SD5DLHTP-Double 5" Dutchlap Steel Siding 28 Gauge, Woodgrain Finish LENGTH: 12' 1 SQS./CTN. 10 PCS./CTN. 90 LBS./CTN. 36 CTN./PALLET</p>
8"	Steel		<p>Stock #S-S8HTP-8" Non-Insulated Siding 28 Gauge, Woodgrain Finish LENGTH: 12'6" 1 SQS./CTN. 12 PCS./CTN. 96 LBS./CTN. 36 CTN./PALLET</p>
12"	Steel		<p>Stock #S-SVTP-12" Vertical Board & Batten 28 Gauge, Woodgrain Finish LENGTH: 10' 1 SQS./CTN. 10 PCS./CTN. 88 LBS./CTN. 21 CTN./PALLET</p>

**Withstands
Category 5
Hurricane winds
over 155 mph**

Wind speed rating will vary depending on specific regional construction methods and codes. Please refer to local building codes for detailed requirements concerning allowable wind loads and specific conversion tables for actual wind speed.




Designer Collection Accessories

COLORS

10 ⁵ / ₈ "	Steel		Stock #S-SKID-10-5/8" Steel Siding Coil EACH COIL APPROX. 700 LBS. APPROX. 1180'/ROLL 1 COIL/SKID	Barn Red Brown Carmel Clay Cobblestone Cottage White Evening Grey Forest Green Heather Norwegian Wood Pacific Blue Sage Sandcastle Sea Breeze Snowmist Sungold
13 ¹ / ₄ "	Steel		Stock #S-SKIDX-13-1/4" Steel Siding Coil EACH COIL APPROX. 700 LBS. APPROX. 900'/ROLL 1 COIL/SKID	
	Steel		Stock #S-SE12P-3/4" J Channel Striated Finish LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 45 LBS./CTN. 40 CTN./PALLET	
	Steel		Stock #S-SE18P-1-1/8" J Channel Striated Finish LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 54 LBS./CTN. 40 CTN./PALLET	
	Steel		Stock #S-SB20-Backer Tab for 1/2" Butt 200 PCS./CTN. 13 LBS./CTN.	No Color Selection
	Steel		Stock #S-STNAIL-Stainless Steel 1-1/4" Painted 1 LB. BOX All steel and aluminum colors	<div> Barn Red Brown Carmel Clay Cobblestone Cottage White Evening Grey Forest Green </div> <div> Heather Norwegian Wood Pacific Blue Sage Sandcastle Sea Breeze Snowmist Sungold </div>



Designer Collection Accessories

COLORS

Steel	 <p>Stock #S-SCPB- Stock #S-SBS247T- 2 Piece Corner Post & Base 10 PCS./CTN. 48 LBS./CTN.</p>	Barn Red Brown Carmel Clay Cobblestone Cottage White Evening Grey Forest Green Heather Norwegian Wood Pacific Blue Sage Sandcastle Sea Breeze Snowmist Sungold
Steel	 <p>Stock #S-SUSMP Undersill Trim Striated Finish LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 44 LBS./CTN. 55 CTN./PALLET</p> <p>#S-10SUSMP Undersill Trim Striated Finish LENGTH: 12' 10 PCS./CTN. 120 FT./CTN. 18 LBS./CTN. 24 CTN./PALLET</p>	
Steel	 <p>Stock #S-OCP1TP 1" Outside Corner Post 28 Gauge, Woodgrain Finish LENGTH: 10' 10 PCS./CTN. 100 FT./CTN. 71 LBS./CTN. 21 CTN./PALLET</p> <p>#S-4SOCP1TP 1" Outside Corner Post 28 Gauge, Woodgrain Finish LENGTH: 10' 4 PCS./CTN. 40 FT./CTN. 28 LBS./CTN. 20 CTN./PALLET</p>	






Aurora Steel Siding

COLORS

D4	Steel	 <p>Stock #S-SD4HTK- Double 4" Aurora Steel Siding 28 Gauge Woodgrain Finish LENGTH: 12'6" 1 SQS./CTN. 12 PCS./CTN. 97 LBS./CTN. 36 CTN./PALLET</p>	Almond Barn Red Cypress Evening Grey Forest Green Grey Mist Norwegian Wood Pacific Blue Pebble Sandcastle Seaport Blue Snowmist Sungold Walnut
D5	Steel	 <p>Stock #S-SD5HTK- Double 5" Aurora Steel Siding 28 Gauge Woodgrain Finish LENGTH: 12' 1 SQS./CTN. 10 PCS./CTN. 90 LBS./CTN. 36 CTN./PALLET</p>	

Aurora Steel Siding


COLORS

D5	Steel		<p>Stock #S-SD5DLHTK-Double 5" Dutchlap Aurora Steel Siding 28 Gauge Woodgrain Finish LENGTH: 12' 1 SQS./CTN. 10 PCS./CTN. 90 LBS./CTN. 36 CTN./PALLET</p>	<p>Almond Barn Red Cypress Evening Grey Forest Green Grey Mist Norwegian Wood Pacific Blue Pebble Sandcastle Seaport Blue Snowmist Sungold Walnut</p>
6"	Steel		<p>Stock #S-S6HTK-6" Non-Insulated Aurora Steel Siding 28 Gauge Woodgrain Finish LENGTH: 12' 6" 1 SQS./CTN. 16 PCS./CTN. 105 LBS./CTN. 20 CTN./PALLET</p>	
7"	Steel		<p>Stock #S-S7HTK 7" Non-Insulated Aurora Siding 28 Gauge, Woodgrain Finish LENGTH: 12' 6" 1 SQS./CTN. 14 PCS./CTN. 102 LBS./CTN. 20 CTN./PALLET</p>	
8"	Steel		<p>Stock #S-S8HTK-8" Non-Insulated Aurora Siding 28 Gauge, Woodgrain Finish LENGTH: 12' 6" 1 SQS./CTN. 12 PCS./CTN. 96 LBS./CTN. 36 CTN./PALLET</p>	
12"	Steel		<p>Stock #S-SVTHTK-12" Vertical Board & Batten Aurora Siding 28 Gauge, Woodgrain Finish LENGTH: 10' 1 SQS./CTN. 10 PCS./CTN. 88 LBS./CTN. 21 CTN./PALLET</p>	

Aurora Siding Accessories COLORS

10⁵/₈"

Steel



Stock #S-SKIDK-10-5/8" Aurora Steel Siding Coil


EACH COIL APPROX. 700 LBS.
APPROX.
1180'/ROLL
1 COIL/SKID

Almond
Barn Red
Cypress
Evening Grey
Forest Green
Grey Mist
Norwegian Wood
Pacific Blue
Pebble
Sandcastle
Seaport Blue
Snowmist
Sungold
Walnut



13¹/₄"



Steel



Stock #S-SKIDXK-13-1/4" Aurora Steel Siding Coil

EACH COIL APPROX. 700 LBS.
APPROX.
900'/ROLL
1 COIL/SKID

Steel





Stock #S-SE12K-3/4" J Channel

LENGTH: 12'
25 PCS./CTN.
300 FT./CTN.
45 LBS./CTN.
40 CTN./PALLET





Steel



Stock #S-SE18K-1-1/8" J Channel

LENGTH: 12'
25 PCS./CTN.
300 FT./CTN.
54 LBS./CTN.
40 CTN./PALLET

Steel




Stock #S-SUSMK-Undersill Trim

LENGTH: 12'
25 PCS./CTN.
300 FT./CTN.
44 LBS./CTN.
55 CTN./PALLET



Aurora Siding Accessories COLORS


Steel




**Stock #S-SOCP1TK-
1" Outside
Corner Post**
28 Gauge,
Woodgrain Finish
LENGTH: 10'
10 PCS./CTN.
100 FT./CTN.
71 LBS./CTN.
21 CTN./PALLET

Almond
Barn Red
Cypress
Evening Grey
Forest Green
Grey Mist
Norwegian Wood
Pacific Blue
Pebble
Sandcastle
Seaport Blue
Snowmist
Sungold
Walnut

Steel




**Stock #S-SCPB-
Stock #S-SBS247TK-
2 Piece Corner
Post & Base**
Woodgrain Finish
10 PCS./CTN.
48 LBS./CTN.



Woodland Steel Siding COLORS

D4

Steel




**Stock #S-SD4WV-
Double 4"
Woodland Steel Siding**
28 Gauge
Woodgrain Finish
LENGTH: 12'6"
1 SQS./CTN.
12 PCS./CTN.
97 LBS./CTN.
36 CTN./PALLET

Ash
Cherry
Douglas Fir
Driftwood
Mossy Oak
Redwood
Riverbank
River Birch
Sycamore
White Poplar

D5





Steel



**Stock #S-SD5WV-
Double 5"
Woodland Steel Siding**
28 Gauge
Woodgrain Finish
LENGTH: 12'
1 SQS./CTN.
10 PCS./CTN.
90 LBS./CTN.
36 CTN./PALLET

Woodland Steel Siding

COLORS


D5	Steel		<p>Stock #S-SD5DLWV- Double 5" Dutchlap Woodland Steel Siding</p> <p>28 Gauge Woodgrain Finish LENGTH: 12' 1 SQS./CTN. 10 PCS./CTN. 90 LBS./CTN. 36 CTN./PALLET</p>	<p>Ash Cherry Douglas Fir Driftwood Mossy Oak Redwood Riverbank River Birch Sycamore White Poplar</p>
6"	Steel		<p>Stock #S-S6HWV- 6" Non-Insulated Woodland Steel Siding</p> <p>28 Gauge Woodgrain Finish LENGTH: 12' 6" 1 SQS./CTN. 16 PCS./CTN. 105 LBS./CTN. 20 CTN./PALLET</p>	
8"	Steel		<p>Stock #S-S8HWV- 8" Non-Insulated Woodland Siding</p> <p>28 Gauge, Woodgrain Finish LENGTH: 12' 6" 1 SQS./CTN. 12 PCS./CTN. 96 LBS./CTN. 36 CTN./PALLET</p>	
12"	Steel		<p>Stock #S-SVTHWV- 12" Vertical Board & Batten Woodland Siding</p> <p>28 Gauge, Woodgrain Finish LENGTH: 10' 1 SQS./CTN. 10 PCS./CTN. 88 LBS./CTN. 21 CTN./PALLET</p>	

Woodland Siding Accessories

COLORS

10⁵/₈"

Steel




Stock #S-SKIDWV- 10-5/8" Woodland Steel Siding Coil

EACH COIL APPROX. 700 LBS.
APPROX.
1180'/ROLL
1 COIL/SKID

Ash
Cherry
Douglas Fir
Driftwood
Mossy Oak
Redwood
Riverbank
River Birch
Sycamore
White Poplar

13¹/₄"



Steel



Stock #S-SKIDXWV- 13-1/4" Woodland Steel Siding Coil

EACH COIL APPROX. 700 LBS.
APPROX.
900'/ROLL
1 COIL/SKID



Steel



Stock #S-SE12WV- 3/4" J Channel

LENGTH: 12'
25 PCS./CTN.
300 FT./CTN.
45 LBS./CTN.
40 CTN./PALLET



Steel



Stock #S-SE18WV- 1-1/8" J Channel

LENGTH: 12'
25 PCS./CTN.
300 FT./CTN.
54 LBS./CTN.
40 CTN./PALLET

Steel




Stock #S-SUSMWV- Undersill Trim

LENGTH: 12'
25 PCS./CTN.
300 FT./CTN.
44 LBS./CTN.
55 CTN./PALLET

Woodland Siding Accessories

COLORS

Steel




Stock #S-SOCP1TWV- 1" Outside Corner Post

28 Gauge,
Woodgrain Finish
LENGTH: 10'
10 PCS./CTN.
100 FT./CTN.
71 LBS./CTN.
21 CTN./PALLET

Ash
Cherry
Douglas Fir
Driftwood
Mossy Oak
Redwood
Riverbank
River Birch
Sycamore
White Poplar

Steel



Stock #S-SCPB- Stock #S-SBS247WV- 2 Piece Corner Post & Base


Woodgrain Finish
10 PCS./CTN.
48 LBS./CTN.

Seneca Steel Siding

COLORS

D4

Steel




Stock #S-SD4SV- Double 4" Seneca Steel Siding

28 Gauge
Woodgrain Finish
LENGTH: 12'6"
1 SQS./CTN.
12 PCS./CTN.
97 LBS./CTN.
36 CTN./PALLET

Aspen
Blue Ridge
Gray Ash
Maple
Rustic Brown
Willow

D5

Steel



Stock #S-SD5SV- Double 5" Seneca Steel Siding

28 Gauge
Woodgrain Finish
LENGTH: 12'
1 SQS./CTN.
10 PCS./CTN.
90 LBS./CTN.
36 CTN./PALLET




Seneca Variegated Steel Siding

Packed with cutting edge technology Seneca Steel Siding is the ultimate variegated steel siding offered in the market.

- Kynar® Finish for ultimate UV protection against crack & fade
- Enhanced Kynar® top coat for extreme scratch resistance
- Solar Reflective Pigments



Seneca Steel Siding

COLORS






D5	Steel		<p>Stock #S-SD5DLSV-Double 5" Dutchlap Seneca Steel Siding 28 Gauge Woodgrain Finish</p> <p>LENGTH: 12' 1 SQS./CTN. 10 PCS./CTN. 90 LBS./CTN. 36 CTN./PALLET</p>	<p>Aspen Blue Ridge Gray Ash Maple Rustic Brown Willow</p>
8"	Steel		<p>Stock #S-S8HSV-8" Non-Insulated Seneca Siding 28 Gauge, Woodgrain Finish</p> <p>LENGTH: 12'6" 1 SQS./CTN. 12 PCS./CTN. 96 LBS./CTN. 36 CTN./PALLET</p>	<p>Seneca Variegated Steel Siding</p> <p>Packed with cutting edge technology Seneca Steel Siding is the ultimate variegated steel siding offered in the market.</p> <ul style="list-style-type: none"> • Kynar® Finish for ultimate UV protection against crack & fade • Enhanced Kynar® top coat for extreme scratch resistance • Solar Reflective Pigments
12"	Steel		<p>Stock #S-SVTHSV-12" Vertical Board & Batten Seneca Siding 28 Gauge, Woodgrain Finish</p> <p>LENGTH: 10' 1 SQS./CTN. 10 PCS./CTN. 88 LBS./CTN. 21 CTN./PALLET</p>	

Seneca Siding Accessories

COLORS



10 ⁵ / ₈ "	Steel		<p>Stock #S-SKIDSV-10-5/8" Seneca Steel Siding Coil</p> <p>EACH COIL APPROX. 700 LBS. APPROX. 1180'/ROLL 1 COIL/SKID</p>	<p>Aspen Blue Ridge Gray Ash Maple Rustic Brown Willow</p>
13 ¹ / ₄ "	Steel		<p>Stock #S-SKIDXSV-13-1/4" Seneca Steel Siding Coil</p> <p>EACH COIL APPROX. 700 LBS. APPROX. 900'/ROLL 1 COIL/SKID</p>	

Seneca Siding Accessories COLORS

Steel	 <p>Stock #S-SE12SV- 3/4" J Channel</p> <p>LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 45 LBS./CTN. 40 CTN./PALLET</p>	<p>Aspen Blue Ridge Gray Ash Maple Rustic Brown Willow</p>
Steel	 <p>Stock #S-SE18SV- 1-1/8" J Channel</p> <p>LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 54 LBS./CTN. 40 CTN./PALLET</p>	
Steel	 <p>Stock #S-SUSMSV- Undersill Trim</p> <p>LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 44 LBS./CTN. 55 CTN./PALLET</p>	
Steel	 <p>Stock #S-SOCP1SV- 1" Outside Corner Post</p> <p>28 Gauge, Woodgrain Finish</p> <p>LENGTH: 10' 10 PCS./CTN. 100 FT./CTN. 71 LBS./CTN. 21 CTN./PALLET</p>	
Steel	 <p>Stock #S-SCPB- Stock #S-SBS247SV- 2 Piece Corner Post & Base</p> <p>Woodgrain Finish</p> <p>10 PCS./CTN. 48 LBS./CTN.</p>	




Aluminum Siding

COLORS

8"	Aluminum	 <p>Stock #J-8HS019 8" Non-Insulated Siding .019" Gauge, Smooth Finish LENGTH: 12'6" 2 SQS./CTN. 12 PCS./CTN. 64 LBS./CTN. 24 CTN./PALLET</p>	Snowmist
	Aluminum	 <p>Stock #J-8HT 8" Non-Insulated Siding .019" Gauge Woodgrain Finish LENGTH: 12'6" 2 SQS./CTN. 24 PCS./CTN. 64 LBS./CTN. 24 CTN./PALLET</p>	

Aluminum Siding Accessories


COLORS

Aluminum	 <p>Stock #E-E12 3/4" J Channel LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 16 LBS./CTN. 36 CTN./PALLET</p>	Snowmist
Aluminum	 <p>Stock #E-E18- 1-1/8" J Channel LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 21 LBS./CTN. 36 CTN./PALLET</p>	
Aluminum	 <p>Stock #E-OCP1T 1" Outside Corner Post Woodgrain Finish LENGTH: 10' 10 PCS./CTN. 100 FT./CTN. 24 LBS./CTN.</p>	

Aluminum Siding Accessories

COLORS

Aluminum




Stock #E-OCP1
1" Outside
Corner Post
 Smooth Finish

LENGTH: 10'
 10 PCS./CTN.
 100 FT./CTN.
 24 LBS./CTN.

Snowmist


Aluminum



Stock #E-USM-
Undersill Molding

LENGTH: 12'
 25 PCS./CTN.
 300 FT./CTN.
 18 LBS./CTN.
 40 CTN./PALLET

Aluminum




Stock #E-IC-
Individual Outside Corner
 Smooth Finish

Stock E-ICT-
Woodgrain Finish
 100 PCS./CTN.
 8 LBS./CTN.
 40 CTN./PALLET

Metal Lath

COLORS



Stock #S-S27X96LATH
2.5# Metal Lath
Flat Galv.

LENGTH: 27" X 96"
 2500 LBS./PALLET
 500 PCS./PALLET

Galvanized

Must order in full pallet
 quantities only






Roofing Accessories

Notes:

Overhanging Drip Edge







COLORS

1 3/4"	Aluminum		Stock #D-ODE-Overhanging Drip Edge 1-3/4" .019" Gauge LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 37 LBS./CTN. 42 CTN./PALLET	ALL GENERAL COLORS	
	Aluminum		Stock #D-ODET4410-, #D-ODET4412-Tensile 44 Overhanging Drip Edge .016" Gauge D-ODET4410 LENGTH: 10' 50 PCS./CTN. 500 FT./CTN. 56 LBS./CTN. 42 CTN./PALLET D-ODET4412 LENGTH: 12' 25 PCS./CTN. 300 FT./CTN. 34 LBS./CTN. 42 CTN./PALLET	Almond Bronze Brown Clay Heather	Norwegian Wood Sandcastle Snowmist
1 1/2"	Steel		Stock #S-SRDE-Steel Overhanging Drip Edge 1-3/4" Acrylic Finish LENGTH: 10' 25 PCS./CTN. 250 FT./CTN. 73 LBS./CTN. 20 CTN./PALLET	Barn Red Bronze Brown Carmel Clay Cobblestone Cottage White Evening Grey Evergreen	Forest Green Heather Mocha Norwegian Wood Pacific Blue Sage Sandcastle Snowmist Sungold
	Steel		Stock #S-SRDE1.5-Steel Overhanging Drip Edge 1-1/2" Acrylic Finish 28 Gauge LENGTH: 10' 25 PCS./CTN. 250 FT./CTN. 60 LBS./CTN. 20 CTN./PALLET	Barn Red Bronze Brown Carmel Clay Cobblestone Cottage White Evening Grey	Forest Green Heather Norwegian Wood Pacific Blue Sage Sandcastle Snowmist Sungold
1 1/2"	Aluminum		Stock #D-ODE112-Overhanging Drip Edge 1-1/2" .019" Gauge LENGTH: 10' 50 PCS./CTN. 55 LBS./CTN. 20 CTN./PALLET	ALL GENERAL COLORS	
	Aluminum		Stock #1.5ODET4412- .016" Gauge LENGTH: 12' 25 PCS./CTN. 30 LBS./CTN. 20 CTN./PALLET	Almond Bronze Brown Clay Heather	Norwegian Wood Sandcastle Snowmist

ALL GENERAL COLORS: Almond, Antique Almond, Black, Brandywine, Bright White/280, Bronze, Brown, Canvas, Clay, Cobblestone, Cornsilk, Cottage White, Evening Grey, Evergreen, Fieldstone, Forest Green, Heather, Mocha, Musket, Norwegian Wood, Sandcastle, Shell, Snowmist, Stone, Summer Suede, Sungold

Steel Roof Edge


COLORS

Steel		Stock #S-SRDETA3-3" Steel Style A Roof Edge 28 Gauge LENGTH: 10' 25 PCS./CTN. 41 LBS./CTN. 20 CTN./PALLET	Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist
Steel		Stock #S-SBRDETA3-3" Steel Builders Style A Roof Edge 30 Gauge LENGTH: 10' 25 PCS./CTN. 34 LBS./CTN. 20 CTN./PALLET	
Steel		Stock #S-SRDETA4-4" Steel Style A Roof Edge 28 Gauge LENGTH: 10' 25 PCS./CTN. 56 LBS./CTN. 20 CTN./PALLET	
Steel		Stock #S-SRDETA5-5" Steel Style A Roof Edge 28 Gauge LENGTH: 10' 25 PCS./CTN. 69 LBS./CTN. 20 CTN./PALLET	
Steel		Stock #S-SRDETA6-6" Steel Style A Roof Edge 28 Gauge LENGTH: 10' 25 PCS./CTN. 88 LBS./CTN. 20 CTN./PALLET	
Steel		Stock #S-SBRDETA6-6" Steel Builders Style A Roof Edge 30 Gauge LENGTH: 10' 25 PCS./CTN. 70 LBS./CTN. 20 CTN./PALLET	

Steel Roof Edge

COLORS

Steel




Stock #S-SBRDETA8-4" x 4" Steel Builders Style A Roof Edge

30 Gauge
LENGTH: 10'
10 PCS./CTN.
37 LBS./CTN.
20 CTN./PALLET

Black
Bright White/280
Bronze
Brown
Clay
Forest Green
Galvanized
Snowmist


Steel



Stock #S-SBRDETA12-6" x 6" Steel Builders Style A Roof Edge

30 Gauge
LENGTH: 10'
10 PCS./CTN.
55 LBS./CTN.
20 CTN./PALLET


Steel



Stock #S-SRDETB3-3" Steel Style B Roof Edge

28 Gauge
LENGTH: 10'
25 PCS./CTN.
44 LBS./CTN.
20 CTN./PALLET


Steel



Stock #S-SRDETC5-5" Steel Style C Roof Edge

28 Gauge
LENGTH: 10'
25 PCS./CTN.
72 LBS./CTN.
20 CTN./PALLET

Steel








Stock #S-SRDETD4.5-4-1/2" Steel Style D Roof Edge

28 Gauge
LENGTH: 10'
25 PCS./CTN.
59 LBS./CTN.
20 CTN./PALLET

Steel Roof Edge

COLORS









Steel		<p>Stock #S-SBRDETD4.5-4-1/2" Steel Builders Style D Roof Edge 30 Gauge LENGTH: 10' 25 PCS./CTN. 47 LBS./CTN. 20 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist</p>
Steel		<p>Stock #S-SRDETD5-5" Steel Style D Roof Edge 28 Gauge LENGTH: 10' 25 PCS./CTN. 72 LBS./CTN. 20 CTN./PALLET</p>	
Steel		<p>Stock #S-SBRDETD5-5" Steel Builders Style D Roof Edge 30 Gauge LENGTH: 10' 25 PCS./CTN. 58 LBS./CTN. 20 CTN./PALLET</p>	
Steel		<p>Stock #S-SRDETD5.5-5-1/2" Steel Style D Roof Edge 28 Gauge LENGTH: 10' 25 PCS./CTN. 75 LBS./CTN. 20 CTN./PALLET</p>	
Steel		<p>Stock #S-SRDETD6-6" Steel Style D Roof Edge 28 Gauge LENGTH: 10' 25 PCS./CTN. 89 LBS./CTN. 20 CTN./PALLET</p>	

Steel Builders Roof Edge COLORS

Steel		<p>Stock #S-SRDETD8-8" Steel Style D Roof Edge 28 Gauge LENGTH: 10' 20 PCS./CTN. 90 LBS./CTN. 20 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist</p>
Steel		<p>Stock #S-SRDETE4.5-4-1/2" Steel Eaves Drip 28 Gauge LENGTH: 10' 25 PCS./CTN. 63 LBS./CTN. 20 CTN./PALLET</p>	
Steel		<p>Stock #S-SRDETH3-3" Steel Style H Roof Edge 28 Gauge LENGTH: 10' 25 PCS./CTN. 63 LBS./CTN. 20 CTN./PALLET</p>	
Steel		<p>Stock #S-SBRDETL5.5-5-1/2" Steel Style D Long Drop Roof Edge 30 Gauge LENGTH: 10' 25 PCS./CTN. 63 LBS./CTN. 20 CTN./PALLET</p>	






Steel Roof Edge

COLORS

Steel		<p>Stock #S-SRDETSR4.5-4-1/2" Steel Style D Long Drop Roof Edge 28 Gauge LENGTH: 10' 25 PCS./CTN. 59 LBS./CTN. 20 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist</p>	
Steel		<p>Stock #S-SBRDETSR4.5-4-1/2" Steel Builders Style D Long Drop Roof Edge 30 Gauge LENGTH: 10' 25 PCS./CTN. 48 LBS./CTN. 20 CTN./PALLET</p>		
Steel		<p>Stock #S-SBRDETG6-4" x 2" Steel Builders Style G Roof Edge 30 Gauge LENGTH: 10' 25 PCS./CTN. 63 LBS./CTN. 20 CTN./PALLET</p>		
Steel		<p>Stock #S-SBRDETLL6-6" Steel Builders Style LL Roof Edge 30 Gauge LENGTH: 10' 25 PCS./CTN. 81 LBS./CTN. 20 CTN./PALLET</p>		
Steel		<p>Stock #S-SBRDETSR5-5" Steel Builders Style SR Roof Edge 30 Gauge LENGTH: 10' 25 PCS./CTN. 53 LBS./CTN. 20 CTN./PALLET</p>		

Roofing Accessories




COLORS

Aluminum		Stock #K-BS242-Shingle Lifter Overhanging Drip Edge 2-1/2" .019" Gauge LENGTH: 12' 50 PCS./CTN. 600 FT./CTN. 54 LBS./CTN. 24 CTN./PALLET	Almond Black Brandywine Bright White/280 Bronze Brown Canvas Clay Cobblestone Cornsilks Cottage White Evening Grey Evergreen	Fieldstone Forest Green Heather Mocha Musket Norwegian Wood Sandcastle Shell Snowmist Stone Summer Suede Sungold
			ALL GENERAL COLORS	
Aluminum		Stock #D-GA-Gutter Apron .019" Gauge LENGTH: 10' 50 PCS./CTN. 500 FT./CTN. 50 LBS./CTN. 20 CTN./PALLET		
Steel		Stock #S-SGA-Steel Gutter Apron 30 Gauge LENGTH: 10' 25 PCS./CTN. 71 LBS./CTN. 30 CTN./PALLET	Bronze Brown Galvanized Snowmist	
Steel		Stock #S-SGAH-Steel Gutter Apron 28 Gauge LENGTH: 10' 25 PCS./CTN. 75 LBS./CTN. 20 CTN./PALLET		
5" x 7"	Aluminum		Stock #E-5X7AFS-5" X 7" Aluminum Flat Shingle 500 PCS./CTN. 21 LBS./CTN.	Bronze Brown Mill Snowmist
	Steel		Stock #S-S5X7GFS 5" X 7" Galvanized Flat Shingle 26 Gauge 100 PCS./CTN. 17 LBS./CTN. 45 CTN./PALLET	Galvanized

ALL GENERAL COLORS: Almond, Antique Almond, Black, Brandywine, Bright White/280, Bronze, Brown, Canvas, Clay, Cobblestone, Cornsilks, Cottage White, Evening Grey, Evergreen, Fieldstone, Forest Green, Heather, Mocha, Musket, Norwegian Wood, Sandcastle, Shell, Snowmist, Stone, Summer Suede, Sungold



Roofing Accessories

COLORS

8" X 8"	Aluminum	Stock #E-8X8AFS-8" X 8" Aluminum Flat Shingle 500 PCS./CTN. 37 LBS./CTN.	Bronze Brown Mill Snowmist	
	Steel	Stock #S-S8X8GFS 8" X 8" Galvanized Flat Shingle 26 Gauge 100 PCS./CTN. 22 LBS./CTN. 45 CTN./PALLET	Galvanized	
6" X 12"	Aluminum	Stock #E-6X12AFS-6" X 12" Aluminum Flat Shingle 500 PCS./CTN. 42 LBS./CTN. 80 CTN./PALLET	Bronze Brown Mill Snowmist	
	Steel	Stock #S-S6X12GFS 6" X 12" Galvanized Flat Shingle- Painted 26 Gauge 100 PCS./CTN. 35 LBS./CTN. 45 CTN./PALLET	Galvanized	
2.5" X 2.5"	Aluminum	Stock #E-2.5X2.5X7ASF-2.5" X 2.5" X 7" Aluminum Step Flashing 500 PCS./CTN. 20.5 LBS./CTN.	Bronze Brown Mill Snowmist	
	Steel	Stock #S-S2.5X2.5X7GSF 2.5" X 2.5" X 7" Galvanized Step Flashing 26 Gauge 100 PCS./CTN. 10 LBS./CTN. 45 CTN./PALLET	Galvanized	



Roofing Accessories

COLORS

4" x 4"	Aluminum		Stock #E-4X4X8ASF- 4" X 4" X 8" Aluminum Step Flashing 500 PCS./CTN. 38 LBS./CTN.	Bronze Brown Mill Snowmist
	Steel		Stock #S-S4X4X8GSF 4" X 4" X 8" Galvanized Step Flashing 26 Gauge 100 PCS./CTN. 18 LBS./CTN. 45 CTN./PALLET	Galvanized
	Steel		Stock #S-SRSS6- 6" Steel Roof Starter LENGTH: 6" 10 PCS./CTN. 66 LBS./CTN. 24 CTN./PALLET	







Roll Valley

COLORS

4"	Steel		Stock #S-S4x50RV 4" x 50' Steel Roll Valley 28 Gauge 9 LBS./CTN. 100 CTN./PALLET	Galvanized
	Steel		Stock #S-S4x25RV 4" x 25' Steel Roll Valley 28 Gauge 4.5 LBS./CTN. 100 CTN./PALLET	
6"	Steel		Stock #S-S6x50RV 6" x 50' Steel Roll Valley 28 Gauge 13 LBS./CTN. 100 CTN./PALLET	




Roll Valley

COLORS

6"	Steel		Stock #S-S6x25RV 6" x 25' Steel Roll Valley 28 Gauge 6.5 LBS./CTN. 100 CTN./PALLET	Galvanized	
	Steel		Stock #S-S8x50RV 8" x 50' Steel Roll Valley 28 Gauge 18 LBS./CTN. 100 CTN./PALLET		
8"	Steel		Stock #S-S8x25RV 8" x 25' Steel Roll Valley 28 Gauge 8.8 LBS./CTN. 100 CTN./PALLET		
	Steel				
10"	Steel		Stock #S-S10X50RV 10" x 50' Steel Roll Valley 28 Gauge 22 LBS./CTN. 75 CTN./PALLET	Galvanized	
	Aluminum		Stock #F-10X50RV 10" x 50' Aluminum Roll Valley .012 Gauge 7 LBS./CTN. 75 CTN./PALLET	Mill	
	Steel		Stock #S-S10X25RV 10" x 25' Steel Roll Valley 28 Gauge 11 LBS./CTN. 75 CTN./PALLET	Galvanized	
	Aluminum		Stock #F-10X25RV 10" x 25' Aluminum Roll Valley .012 Gauge 4 LBS./CTN. 75 CTN./PALLET	Mill	
	Steel				
	Aluminum				







Roll Valley

COLORS

12"	Steel		Stock #S-S12X50RV 12" x 50' Steel Roll Valley 28 Gauge 25 LBS./CTN. 100 CTN./PALLET	Galvanized
	Steel		Stock #S-S12X25RV 12" x 25' Steel Roll Valley 28 Gauge 12.75 LBS./CTN. 100 CTN./PALLET	
14"	Steel		Stock #S-S14X50RV 14" x 50' Steel Roll Valley 28 Gauge 30 LBS./CTN. 50 CTN./PALLET	
	Aluminum		Stock #F-14X50RV 14" x 50' Aluminum Roll Valley .012 Gauge 10 LBS./CTN. 50 CTN./PALLET	Mill
	Steel		Stock #S-S14X25RV 14" x 25' Steel Roll Valley 28 Gauge 16 LBS./CTN. 50 CTN./PALLET	Galvanized
	Aluminum		Stock #F-14X25RV 14" x 25' Aluminum Roll Valley .012 Gauge 5 LBS./CTN. 50 CTN./PALLET	Mill
16"	Steel		Stock #S-S16X50RV 16" x 50' Steel Roll Valley 28 Gauge 33.5 LBS./CTN. 75 CTN./PALLET	Galvanized



Roll Valley

COLORS

16"	Steel		Stock #S-S16X25RV 16" x 25' Steel Roll Valley 28 Gauge 16.9 LBS./CTN. 75 CTN./PALLET	Galvanized	
	Steel		Stock #S-S18X50RV 18" x 50' Steel Roll Valley 28 Gauge 40 LBS./CTN. 50 CTN./PALLET	Galvanized	
	Aluminum		Stock #F-18X50RV 18" x 50' Aluminum Roll Valley .012 Gauge 13 LBS./CTN. 50 CTN./PALLET	Mill	
	Steel		Stock #S-S18X25RV 18" x 25' Steel Roll Valley 28 Gauge 20 LBS./CTN. 50 CTN./PALLET	Galvanized	
18"	Aluminum		Stock #F-18X25RV 18" x 25' Aluminum Roll Valley .012 Gauge 7 LBS./CTN. 50 CTN./PALLET	Mill	
	Steel				
20"	Steel		Stock #S-S20X50RV 20" x 50' Steel Roll Valley 28 Gauge 44 LBS./CTN. 25 CTN./PALLET	Galvanized	






Roll Valley

COLORS

20"	Steel		Stock #S-SB20X50RV 20" x 50' Builders Steel Roll Valley 30 Gauge 37 LBS./CTN. 25 CTN./PALLET	Galvanized
	Aluminum		Stock #F-20X50RV 20" x 50' Aluminum Roll Valley .012 Gauge 14 LBS./CTN. 25 CTN./PALLET	Mill
	Steel		Stock #S-S20X25RV 20" x 25' Steel Roll Valley 28 Gauge 22 LBS./CTN. 25 CTN./PALLET	Galvanized
	Aluminum		Stock #F-20X25RV 20" x 25' Aluminum Roll Valley .012 Gauge 8 LBS./CTN. 25 CTN./PALLET	Mill
24"	Steel		Stock #S-S24X50RV 24" x 50' Steel Roll Valley 28 Gauge 53 LBS./CTN. 25 CTN./PALLET	Galvanized
	Steel		Stock #S-SB24X50RV 24" x 50' Builders Steel Roll Valley 30 Gauge 44 LBS./CTN. 25 CTN./PALLET	Galvanized
	Aluminum		Stock #F-24X50RV 24" x 50' Aluminum Roll Valley .012 Gauge 17 LBS./CTN. 25 CTN./PALLET	Mill
	Steel		Stock #S-S24X25RV 24" x 25' Steel Roll Valley 28 Gauge 27 LBS./CTN. 25 CTN./PALLET	Galvanized
	Aluminum		Stock #F-24X25RV 24" x 25' Aluminum Roll Valley .012 Gauge 9 LBS./CTN. 25 CTN./PALLET	Mill

Roll Valley

COLORS


28"	Steel		Stock #S-S28x50RV 28" x 50' Steel Roll Valley 28 Gauge 59 LBS./CTN. 25 CTN./PALLET	Galvanized	
30"	Steel		Stock #S-S30x50RV 30" x 50' Steel Roll Valley 28 Gauge 63 LBS./CTN. 25 CTN./PALLET		
36"	Steel		Stock #S-S36x50RV 36" x 50' Steel Roll Valley 28 Gauge 75 LBS./CTN. 25 CTN./PALLET		

Steel W Valley

COLORS

14"

Steel




Stock #S-S14X10WV-
14" x 10'
Steel W Valley
30 Gauge
351 LBS. FOR GALV/CTN.
370 LBS. FOR PAINTED/CTN.
50 PCS./PALLET

Stock #S-S14X10WVH-
14" x 10'
Heavy Gauge
Steel W Valley
28 Gauge
420 LBS. FOR GALV/CTN.
442 LBS. FOR PAINTED/CTN.
50 PCS./PALLET

Black
Bronze
Brown
Galvanized
Snowmist

18"

Steel




Stock #S-S18X10WV-
18" x 10'
Steel W Valley
30 Gauge
439 LBS. FOR GALV/CTN.
463 LBS. FOR PAINTED/CTN.
50 PCS./PALLET

Stock #S-S18X10WVH-
18" x 10'
Heavy Gauge
Steel W Valley
28 Gauge
525 LBS. FOR GALV/CTN.
555 LBS. FOR PAINTED/CTN.
50 PCS./PALLET

20"

Steel







Stock #S-S20X10WV-
20" x 10'
Steel W Valley
30 Gauge
483 LBS. FOR GALV/CTN.
509 LBS. FOR PAINTED/CTN.
50 PCS./PALLET

Stock #S-S20X10WVH-
20" x 10'
Heavy Gauge
Steel W Valley
28 Gauge
580 LBS. FOR GALV/CTN.
612 LBS. FOR PAINTED/CTN.
50 PCS./PALLET

Steel W Valley & Ridge Cap

COLORS

22"	Steel		Stock #S-S22X10WV- 22" x 10' Steel W Valley 30 Gauge 526 LBS. FOR GALV/CTN. 555 LBS. FOR PAINTED/CTN. 50 PCS./PALLET	Black Bronze Brown Galvanized Snowmist
			Stock #S-S22X10WVH- 22" x 10' Heavy Gauge Steel W Valley 28 Gauge 633 LBS. FOR GALV/CTN. 669 LBS. FOR PAINTED/CTN. 50 PCS./PALLET	
24"	Steel		Stock #S-S24X10WV- 24" x 10' Steel W Valley 30 Gauge 570 LBS. FOR GALV/CTN. 602 LBS. FOR PAINTED/CTN. 50 PCS./PALLET	Stock #S-S24X10WVH*- 24" x 10' Heavy Gauge Steel W Valley 28 Gauge 686 LBS. FOR GALV/CTN. 725 LBS. FOR PAINTED/CTN. 50 PCS./PALLET
				*Also available in Forest Green
14"	Steel		Stock #S-S14X10RC- 14" Steel Ridge Cap w/hems LENGTH: 10' 50 PCS./CTN. 386 LBS./CTN.	Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist
			Stock #S-S14X10.5RC- 14" Steel Ridge Cap w/hems LENGTH: 10'6" 50 PCS./CTN. 405 LBS./CTN.	
20"	Steel		Stock #S-S20X10.5RC- 20" Steel Ridge Cap w/hems LENGTH: 10'6" 50 PCS./CTN. 552 LBS./CTN.	









Flashing

Notes:







Steel J Channel & Flashing

COLORS

Steel	 <p>Diagram showing a side view and a cross-section of a steel J channel. The side view shows a channel with a depth of 3-1/2". The cross-section shows a U-shaped profile with a top flange width of 1-1/2" and a lip height of 1".</p>	<p>Stock #S-S1X1.5SFC-1-1/2" Steel Door Edge Cover 28 Gauge LENGTH: 10' 25 PCS./CTN. 83 LBS./CTN. 20 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist</p>
Steel	 <p>Diagram showing a side view and a cross-section of a steel deck flashing. The side view shows a flashing with a height of 2-3/4". The cross-section shows a U-shaped profile with a top flange width of 1-5/8" and a lip height of 1/2".</p>	<p>Stock #S-SDF15/8-1-5/8" Steel Deck Flashing 28 Gauge LENGTH: 10' 25 PCS./CTN. 60 LBS./CTN. 20 CTN./PALLET</p>	
Steel	 <p>Diagram showing a side view and a cross-section of a steel angled deck flashing. The side view shows a flashing with a height of 2-3/8". The cross-section shows a U-shaped profile with a top flange width of 1-5/8", a lip height of 1/4", and a 95-degree angle.</p>	<p>Stock #S-SADF15/8-1-5/8" Steel Angled Deck Flashing 28 Gauge LENGTH: 10' 25 PCS./CTN. 76 LBS./CTN. 20 CTN./PALLET</p>	
Steel	 <p>Diagram showing a side view and a cross-section of a steel deck flashing. The side view shows a flashing with a height of 2-3/8". The cross-section shows a U-shaped profile with a top flange width of 1-1/2", a lip height of 1/4", and a 95-degree angle.</p>	<p>Stock #S-SDF11/2-1-1/2" Steel Deck Flashing 28 Gauge LENGTH: 10' 25 PCS./CTN. 62 LBS./CTN. 20 CTN./PALLET</p>	
Steel	 <p>Diagram showing a side view and a cross-section of a steel deck flashing. The side view shows a flashing with a height of 3-7/8". The cross-section shows a U-shaped profile with a top flange width of 1-5/8" and a lip height of 1/2".</p>	<p>Stock #S-SDF-Steel Deck Flashing LENGTH: 10' 12 PCS./CTN. 144 FT./CTN. 35 LBS./CTN.</p>	<p>Snowmist</p>
Steel	 <p>Diagram showing a side view and a cross-section of a steel framing closure. The side view shows a closure with a height of 3". The cross-section shows a U-shaped profile with a top flange width of 7/8" and a lip height of 2".</p>	<p>Stock #S-S.75X.875HFC-7/8" Steel Framing Closure 30 Gauge LENGTH: 10' 25 PCS./CTN. 47 LBS./CTN. 20 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist</p>






Steel Flashing

COLORS

Steel	 <p>Stock #S-S3/4JLL-3/4" Steel Long Leg J Channel 28 Gauge LENGTH: 10' 25 PCS./CTN. 50 LBS./CTN. 20 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist</p>
Steel	 <p>Stock #S-S1X1.25SFC-1-1/4" Steel J Channel 28 Gauge LENGTH: 10' 25 PCS./CTN. 69 LBS./CTN. 20 CTN./PALLET</p>	
Steel	 <p>Stock #S-S1X.75HFC-3/4" Steel Framing Closure 30 Gauge LENGTH: 10' 25 PCS./CTN. 62 LBS./CTN. 20 CTN./PALLET</p>	
Steel	 <p>Stock #S-S.5X.5HFC-1 1/4" Steel J Trim 30 Gauge LENGTH: 10' 50 PCS./CTN. 69 LBS./CTN. 20 CTN./PALLET</p>	
Steel	 <p>Stock #S-S2X5/8HFC-2" x 5/8" Steel J Trim 30 Gauge LENGTH: 10' 20 PCS./CTN. 65 LBS./CTN. 20 CTN./PALLET</p>	
Steel	 <p>Stock #S-S2X7/8HFC-2" x 7/8" Steel J Trim 30 Gauge LENGTH: 10' 20 PCS./CTN. 68 LBS./CTN. 20 CTN./PALLET</p>	

Steel Flashing


COLORS

Steel	 <p>Diagram showing the profile of the 4" Steel Fascia Trim. Dimensions include: top flange width 2-9/16", total height 2-1/2", bottom flange width 4-5/16", bottom flange thickness 3/4", and bottom flange height 1-3/16".</p>	<p>Stock #S-SHFT-4" Steel Fascia Trim LENGTH: 10' 10 PCS./CTN. 50 LBS./CTN. 20 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Snowmist</p>
Steel	 <p>Diagram showing the profile of the 7/16" Z Flashing. Dimensions include: total height 1-1/2" -MIN-, flange width 7/16", and flange thickness 1/4".</p>	<p>Stock #S-S7/16Z-7/16" Z Flashing LENGTH: 10' 25 PCS./CTN. 25 LBS./CTN. 36 CTN./PALLET</p>	<p>Bronze Brown Galvanized Snowmist</p>
Steel	 <p>Diagram showing the profile of the Steel Dormer Flashing. Dimensions include: top flange width 3-3/4", vertical height 5", and angles of 125° and 135°.</p>	<p>Stock #S-SDORMF10-Steel Dormer Flashing LENGTH: 10' 10 PCS./CTN. 63 LBS./CTN. 20 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist</p>
Steel	 <p>Diagram showing the profile of the Reglet Flashing. Dimensions include: top flange width .016", vertical height 4", bottom flange width 1/2", bottom flange height 5/16", and angles of 140°, 90°, and 45°.</p>	<p>Stock #S-SREGLET-Reglet Flashing LENGTH: 10' 10 PCS./CTN. 35 LBS./CTN.</p>	
Steel	 <p>Diagram showing the profile of the Steel Sidewall Flashing. Dimensions include: vertical height 3-7/8", horizontal width 2-1/2", and bottom flange thickness 5/16".</p>	<p>Stock #S-SSWF-Steel Sidewall Flashing LENGTH: 10' 20 PCS./CTN. 77 LBS./CTN. 20 CTN./PALLET</p>	

Steel Trim & Flashing

COLORS

Steel




Stock #S-SEWF10- Steel Endwall Flashing

LENGTH: 10'
10 PCS./CTN.
65 LBS./CTN.
20 CTN./PALLET

Black
Bright White/280
Bronze
Brown
Clay
Forest Green
Galvanized
Snowmist

Steel




Stock #S-SRG- Steel Rat Guard

LENGTH: 10'
20 PCS./CTN.
44 LBS./CTN.
20 CTN./PALLET

3 1/2"

Steel




Stock #S-SK3.5HDET10- 3-1/2" Steel Door & Post Trim with Ribs

LENGTH: 10'
25 PCS./CTN.
72 LBS./CTN.
20 CTN./PALLET

5 1/2"

Steel






Stock #S-SK5.5HDET10- 5 1/2" Steel Door & Post Trim with Ribs

LENGTH: 10'
20 PCS./CTN.
80 LBS./CTN.
20 CTN./PALLET

Steel Trim

COLORS

7 1/2"	Steel		<p>Stock #S-SK7.5HDET10-7 1/2" Steel Door & Post Trim with Ribs</p> <p>LENGTH: 10' 20 PCS./CTN. 102 LBS./CTN. 20 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist</p>
	Steel		<p>Stock #S-SSQR2DTC-2" Steel Square Door Track Cover</p> <p>LENGTH: 10' 10 PCS./CTN. 65 LBS./CTN. 20 CTN./PALLET</p>	
	Steel		<p>Stock #S-SSQRDTC-Steel Square Door Track Cover</p> <p>LENGTH: 10' 10 PCS./CTN. 55 LBS./CTN. 20 CTN./PALLET</p>	

Steel Rake & Corner Trim

COLORS

Black
Bright White/280
Bronze
Brown
Clay
Forest Green
Galvanized
Snowmist

12"

Steel


Steel

Steel

Steel


Stock #S-SKRRRC10-12" Steel Ribbed Rake & Corner Trim w/hem

LENGTH: 10'
10 PCS./CTN.
67 LBS./CTN.
20 CTN./PALLET



Stock #S-SKRRRC12-12" Steel Ribbed Rake & Corner Trim w/hem

LENGTH: 12'
10 PCS./CTN.
80 LBS./CTN.
20 CTN./PALLET



Stock #S-SKRRRC14-12" Steel Ribbed Rake & Corner Trim w/hem

LENGTH: 14'
10 PCS./CTN.
93 LBS./CTN.
20 CTN./PALLET

Stock #S-SKRRRC16-12" Steel Ribbed Rake & Corner Trim w/hem

LENGTH: 16'
10 PCS./CTN.
106 LBS./CTN.
20 CTN./PALLET


14"

Steel

Steel


Stock #S-S14SKRRRC10-14" Steel Ribbed Rake & Corner Trim w/hem

LENGTH: 10'
10 PCS./CTN.
77 LBS./CTN.
20 CTN./PALLET







Stock #S-S14SKRRRC12-14" Steel Rake & Corner Trim w/hem

LENGTH: 12'
10 PCS./CTN.
77 LBS./CTN.
20 CTN./PALLET








Steel Door Jam Trim & Closure

COLORS

4"	Steel		<p>Stock #S-S4HDJT104-4" Steel Door Jamb Trim w/hem LENGTH: 10'4 10 PCS./CTN. 53 LBS./CTN. 20 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist</p>
7"	Steel		<p>Stock #S-S7HDJT104-7" Steel Door Jamb Trim w/hem LENGTH: 10'4 10 PCS./CTN. 73 LBS./CTN. 20 CTN./PALLET</p> <hr/> <p>Stock #S-S7HDJT124-7" Steel Door Jamb Trim w/hem LENGTH: 12'4 10 PCS./CTN. 87 LBS./CTN. 20 CTN./PALLET</p>	
9"	Steel		<p>Stock #S-S9HDJT104-9" Steel Door Jamb Trim w/hem LENGTH: 10'4 10 PCS./CTN. 81 LBS./CTN. 20 CTN./PALLET</p>	
	Steel		<p>Stock #S-SBCDG-Steel Bottom Closure & Door Guide LENGTH: 10' 10 PCS./CTN. 29 LBS./CTN. 20 CTN./PALLET</p>	







Window Cap

COLORS

2" Steel		Stock #S-S2WC-2" Steel Window Cap LENGTH: 10' 25 PCS./CTN. 52 LBS./CTN. 20 CTN./PALLET	Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist	
1 1/2" Steel		Stock #S-S11/2WC-1-1/2" Steel Window Cap LENGTH: 10' 25 PCS./CTN. 45 LBS./CTN. 36 CTN./PALLET		
1 3/8" Aluminum		Stock #S-S13/8WC-1-3/8" Window Cap LENGTH: 10' 25 PCS./CTN. 35 LBS./CTN. 36 CTN./PALLET	Bronze Brown Mill Snowmist	
1 1/4" Aluminum		Stock #E-11/4WC-1-1/4" Aluminum Window Cap LENGTH: 10' 50 PCS./CTN. 31 LBS./CTN. 36 CTN./PALLET		
1" Steel		Stock #S-S1WC-1" Steel Window Cap LENGTH: 10' 25 PCS./CTN. 38 LBS./CTN. 36 CTN./PALLET	Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist	

Flashing Accessories




COLORS

Aluminum	 <p>Stock #E-DC 11/2- Aluminum Drip Cap LENGTH: 10' 50 PCS./CTN. 500 FT./CTN. 30.5 LBS./CTN.</p>	ALL GENERAL COLORS
Aluminum	 <p>Stock #E-DC 11/8- Aluminum Drip Cap LENGTH: 10' 50 PCS./CTN. 500 FT./CTN. 30.5 LBS./CTN.</p>	
Aluminum	 <p>Stock #K-BL- Aluminum Brickledge and Deck Flashing LENGTH: 10' 50 PCS./CTN. 500 FT./CTN. 80 LBS./CTN.</p>	
Steel	 <p>Stock #S-S4X2BL- 4" x 2" Steel Brick Ledge LENGTH: 10' 25 PCS./CTN. 68 LBS./CTN. 20 CTN./PALLET</p>	Black Bright White/280 Bronze Brown Clay Forest Green Snowmist
Aluminum	 <p>Stock #E-WF- Aluminum Window Flashing LENGTH: 10' 50 PCS./CTN. 500 FT./CTN. 30.5 LBS./CTN.</p>	Snowmist
Aluminum	 <p>Stock #K-BS208- Aluminum Anderson Brick Molding LENGTH: 12' 20 PCS./CTN. 240 FT./CTN. 31 LBS./CTN. 25 CTN./PALLET</p>	ALL GENERAL COLORS

ALL GENERAL COLORS: Almond, Antique Almond, Black, Brandywine, Bright White/280, Bronze, Brown, Canvas, Clay, Cobblestone, Cornsilk, Cottage White, Evening Grey, Evergreen, Fieldstone, Forest Green, Heather, Mocha, Musket, Norwegian Wood, Sandcastle, Shell, Snowmist, Stone, Summer Suede, Sungold,



Fiber Cement Flashings

COLORS

Aluminum	 <p>Stock #E-RTW-Roof to Wall Flashing .024" Gauge Aluminum LENGTH: 10' 10 PCS./CTN. 19 LBS./CTN. 100 FT./CTN.</p>	<p>ALL FIBER CEMENT COLORS</p>
Aluminum	 <p>Stock #E-DC1-Drip Cap .019" Gauge Aluminum LENGTH: 10' 25 PCS./CTN. 20 LBS./CTN. 250 FT./CTN.</p>	
Aluminum	 <p>Stock #E-3/8Z-Z Wall Flashing .019" Gauge Aluminum LENGTH: 10' 25 PCS./CTN. 15 LBS./CTN. 250 FT./CTN.</p>	

Steel Angle Flashing






COLORS

1 1/2"	Steel	 <p>Stock #S-S1.5X1.5HAF10-1.5" x 1.5" Steel Angle Flashing w/Hems 28 Gauge LENGTH: 10' 10 PCS./CTN. 18 LBS./CTN. 36 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist</p>
2"	Steel	 <p>Stock #S-SB2X2AF10-2" x 2" Steel Builders Angle Flashing 30 Gauge LENGTH: 10' 10 PCS./CTN. 21 LBS./CTN. 36 CTN./PALLET</p>	

ALL FIBER CEMENT COLORS: Arctic White, Cobble Stone, Khaki Brown, Monterey Taupe, Navajo Beige, Sail Cloth, Woodstock Brown

Steel Angle Flashing

COLORS



3"	Steel	 <p>Stock #S-S3X3HAF10-3" x 3" Steel Angle* Flashing w/Hems 28 Gauge LENGTH: 10' 10 PCS./CTN. 36 LBS./CTN. 36 CTN./PALLET</p>
	Steel	 <p>Stock #S-SB3X3AF10-3" x 3" Steel Builders Angle Flashing* 30 Gauge LENGTH: 10' 10 PCS./CTN. 29 LBS./CTN. 36 CTN./PALLET</p>
	Steel	 <p>Stock #S-SB3X5AF10-3" x 5" Steel Builders Angle Flashing* 30 Gauge LENGTH: 10' 10 PCS./CTN. 37 LBS./CTN. 36 CTN./PALLET</p>
4"	Steel	 <p>Stock #S-S4X4HAF10-4" x 4" Steel Angle Flashing w/Hems* 28 Gauge LENGTH: 10' 10 PCS./CTN. 47 LBS./CTN. 20 CTN./PALLET</p>
	Steel	 <p>Stock #S-SB4X4AF10-4" x 4" Steel Builders Angle Flashing* 30 Gauge LENGTH: 10' 10 PCS./CTN. 37 LBS./CTN. 20 CTN./PALLET</p>

Black
 Bright White/280
 Bronze
 Brown
 Clay
 Forest Green
 Galvanized
 Snowmist

*Angle flashing is painted on inside



Steel Angle Flashing

COLORS

4"	Steel	 <p>Stock #S-S4X6HAF10-4" x 6" Steel Angle Flashing w/Hems 28 Gauge LENGTH: 10' 10 PCS./CTN. 58 LBS./CTN. 20 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist</p>
5"	Steel	 <p>Stock #S-S5X5HAF-5" x 5" Steel Angle Flashing 28 Gauge LENGTH: 10' 25 PCS./CTN. 58 LBS./CTN. 20 CTN./PALLET</p>	



Steel Double Angle Trim

COLORS

Steel	 <p>Stock #S-S1X3/4HDAT-1" x 3/4" Steel Double Angle Trim w/Hem 28 Gauge LENGTH: 10' 25 PCS./CTN. 34 LBS./CTN. 20 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist</p>
Steel	 <p>Stock #S-S1X1HDAT-1" x 1" Steel Double Angle Trim w/Hem 28 Gauge LENGTH: 10' 25 PCS./CTN. 38 LBS./CTN. 20 CTN./PALLET</p>	





Steel Double Angle Trim

COLORS

Steel		<p>Stock #S-S1.5X.75HDATL- 1-1/2" x 3/4" Steel Double Angle Long Leg Trim w/Hem 28 Gauge LENGTH: 10' 25 PCS./CTN. 53 LBS./CTN. 20 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist</p>
Steel		<p>Stock #S-S1.5X.1.5HDATL- 1-1/2" x 1 1/2" Steel Double Angle Long Leg Trim w/Hem 28 Gauge LENGTH: 10' 25 PCS./CTN. 64 LBS./CTN. 20 CTN./PALLET</p>	










Steel Base Flashing

COLORS

1/2"	Steel		<p>Stock #S-S1/2Z- 1/2" Steel Base Flashing 28 Gauge LENGTH: 10' 25 PCS./CTN. 31 LBS./CTN. 36 CTN./PALLET</p>	<p>Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist</p>
3/8"	Steel		<p>Stock #S-S3/8Z- 3/8" Steel Base Flashing 28 Gauge LENGTH: 10' 25 PCS./CTN. 24 LBS./CTN. 36 CTN./PALLET</p>	
5/8"	Steel		<p>Stock #S-S5/8Z- 5/8" Steel Base Flashing 28 Gauge LENGTH: 10' 25 PCS./CTN. 33 LBS./CTN. 36 CTN./PALLET</p>	
3/4"	Steel		<p>Stock #S-S3/4Z- 3/4" Steel Base Flashing 28 Gauge LENGTH: 10' 25 PCS./CTN. 34 LBS./CTN. 36 CTN./PALLET</p>	

Steel Base Flashing

COLORS

7/8"	Steel	 <p>Stock #S-S7/8Z-7/8" Steel Base Flashing 28 Gauge LENGTH: 10' 25 PCS./CTN. 36 LBS./CTN. 36 CTN./PALLET</p>	Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist	
1"	Steel	 <p>Stock #S-S1SBF-1" Steel Base Flashing LENGTH: 10' 25 PCS./CTN. 33 LBS./CTN. 24 CTN./PALLET</p>	Bronze Brown Galvanized Snowmist	
1 1/2"	Steel	 <p>Stock #S-S11/2Z-1-1/2" Steel Base Flashing LENGTH: 10' 25 PCS./CTN. 45 LBS./CTN. 20 CTN./PALLET</p>	Black Bright White/280 Bronze Brown Clay Forest Green Galvanized Snowmist	
1 1/4"	Steel	 <p>Stock #S-S11/4Z-1-1/4" Steel Base Flashing LENGTH: 10' 25 PCS./CTN. 41 LBS./CTN. 20 CTN./PALLET</p>		
1 3/4"	Steel	 <p>Stock #S-S13/4Z-1-3/4" Steel Base Flashing LENGTH: 10' 25 PCS./CTN. 48 LBS./CTN. 20 CTN./PALLET</p>		
2"	Steel	 <p>Stock #S-S2Z-2" Steel Base Flashing LENGTH: 10' 25 PCS./CTN. 48 LBS./CTN. 20 CTN./PALLET</p>		








Rainware

Notes:

Aluminum Rainware







COLORS

Aluminum		Stock #G-DS-2" x 3" Downspout .019 Gauge LENGTH: 10' 10 PCS./CTN. 28 LBS./CTN. 21 CTN./PALLET	ALL GENERAL COLORS
Aluminum		Stock #G-4DS-3" x 3" Downspout .019 Gauge LENGTH: 10' 10 PCS./CTN. 30 LBS./CTN. 15 CTN./PALLET	
Aluminum		Stock #G-4DS024-3" x 4" Downspout .024 Gauge LENGTH: 10' 10 PCS./CTN. 34 LBS./CTN.	
Aluminum		Stock #G-A75-, G-B75-2" x 3" Elbow 75° Style A & B 30 PCS./CTN. 8 LBS./CTN. 24 CTN./PALLET	
Aluminum		Stock #G-4A75-, G-4B75-3" x 4" Elbow 75° Style A & B 20 PCS./CTN. 10 LBS./CTN. 18 CTN./PALLET	

ALL GENERAL COLORS: Almond, Antique Almond, Black, Brandywine, Bright White/280, Bronze, Brown, Canvas, Clay, Cobblestone, Cornsilk, Cottage White, Evening Grey, Evergreen, Fieldstone, Forest Green, Heather, Mocha, Musket, Norwegian Wood, Sandcastle, Shell, Snowmist, Stone, Summer Suede, Sungold

Aluminum Rainware Accessories

COLORS

Aluminum		Stock #H-CAPR-, H-CAPL- 5" End Cap Right 5" End Cap Left 50 PCS./CTN. 3 LBS./CTN.	Almond Antique Almond Black Brandywine Bright White/280 Bronze Brown Canvas Clay Cobblestone Cornsilk Cottage White Evening Grey Evergreen Fieldstone Forest Green Heather Mocha Musket Norwegian Wood Sandcastle Shell Snowmist Stone Summer Suede Sungold	
Aluminum		Stock #H-CAPR6-, H-CAPL6- 6" End Cap Right 6" End Cap Left 50 PCS./CTN. 3.5 LBS./CTN.		
Aluminum		Stock #H-MITO- Outside 5" K Miter 20 PCS./CTN. 7 LBS./CTN.		
Aluminum		Stock #H-MITO6- Outside 6" K Miter 20 PCS./CTN. 7.5 LBS./CTN.		
Aluminum		Stock #H-MITI- Inside 5" K Miter 20 PCS./CTN. 8 LBS./CTN.	Almond Antique Almond Black Brandywine Bright White/280 Bronze Brown Canvas Clay Cobblestone Cornsilk Cottage White Evening Grey	Evergreen Fieldstone Forest Green Heather Mocha Musket Norwegian Wood Sandcastle Shell Snowmist Stone Summer Suede Sungold
Aluminum		Stock #H-MITI6- Inside 6" K Miter 20 PCS./CTN. 8.5 LBS./CTN.		






Aluminum Rainware Accessories

COLORS

Aluminum		Stock #H-SMITI- Inside 5\" Strip Miter 20 PCS./CTN. 8 LBS./CTN.	Almond Bright White/280 Brown Clay Cottage White Mocha Musket Norwegian Wood Sandcastle Snowmist Summer Suede
Aluminum		Stock #H-SMITI6- Inside 6\" Strip Miter 20 PCS./CTN. 8.5 LBS./CTN.	
Aluminum		Stock #H-SMITO- Outside 5\" Strip Miter 20 PCS./CTN. 7 LBS./CTN.	
Aluminum		Stock #H-SMITO6- Outside 6\" Strip Miter 20 PCS./CTN. 7.5 LBS./CTN.	
Aluminum		Stock #H-RIV- Pop Rivet 1000 PCS./CTN. 1 LBS./CTN.	ALL ALUMINUM COLORS
Aluminum		Stock #H-BANDS- Downspout/ Pipe Band 100 PCS./CTN. 4 LBS./CTN.	
Aluminum		Stock #H-OUT OVAL Outlet Tube, Wide Flange 2\" X 3\" OUTOVAL 30 PCS./CTN. - MILL Stock #H-4OUTOVAL 3\" X 4\" OUTOVAL 50 PCS./CTN. - WHITE	Mill


Aluminum Rainware Accessories

COLORS

Aluminum		Stock #H-KSLIP-K Slip Connector 50 PCS./CTN. 6 LBS./CTN.	Black Brown Snowmist
Aluminum		Stock #5SHH100 5" Screw on Gutter Hanger 100 PCS./CTN. 15.8 LBS./CTN. 36 CTN./PALLET	Mill
Aluminum		Stock #6SHH100 6" Screw on Gutter Hanger 300 PCS./CTN. 21.2 LBS./CTN. 36 CTN./PALLET	
Aluminum		Stock #H-5KEOH-5" K Easy On Hanger 100 PCS./CTN. 11 LBS./CTN. 56 CTN./PALLET	Brown Snowmist
Aluminum		Stock #5HH100 & 6HH100 5" Gutter Bracket 100 PCS./CTN. 4 LBS./CTN. 6" Gutter Bracket 100 PCS./CTN. 5 LBS./CTN.	Mill




Steel Rainware

COLORS




Steel		Stock #S-SDS-2" x 3" Steel Downspout 30 Gauge LENGTH: 10' 10 PCS./CTN. 46 LBS./CTN. 21 CTN./PALLET	Brown Galvanized Snowmist
-------	---	--	---------------------------------

Steel Rainware

COLORS







Steel		<p>Stock #S-S4DS- 3" x 4" Steel Downspout 30 Gauge LENGTH: 10' 10 PCS./CTN. 59 LBS./CTN. 15 CTN./PALLET</p>
Steel		<p>Stock #S-SA75-, S-SB75- 2" x 3" Steel Elbow 75° Style A & B 30 PCS./CTN. 10 LBS./CTN. 24 CTN./PALLET</p>
Steel		<p>Stock #S-S4A75-, S-S4B75- 3" x 4" Steel Elbow 75° Style A & B 20 PCS./CTN. 12 LBS./CTN. 18 CTN./PALLET</p>

Steel Rainware Accessories

Aluminum		<p>Stock #S-SGBRAC #S-SGBRAC6 5" Gutter Bracket 100 PCS./CTN. 4 LBS./CTN. 6" Gutter Bracket 100 PCS./CTN. 5 LBS./CTN.</p>	Mill
Steel		<p>Stock #S-S5SGH 5" Screw on Gutter Hanger 100 PCS./CTN. 10 LBS./CTN. 36 CTN./PALLET</p> <p>Stock #S-S5SGHW 5" Screw on Gutter Hanger Wide Front 100 PCS./CTN. 19 LBS./CTN.</p>	
Steel		<p>Stock #S-S6SGH 6" Screw on Gutter Hanger 300 PCS./CTN. 22 LBS./CTN. 36 CTN./PALLET</p>	








Steel Rainware Accessories

COLORS

Steel		Stock #S-SKICKR- Kick-Out Flashing 25 PCS./CTN.	Black Bronze Brown Galvanized Snowmist	
Steel		Stock #S-SKICKL- Kick-Out Flashing 25 PCS./CTN.		
Steel		Stock #S-SG10-, S-SG20- 5" K Steel Gutter 30 Gauge SG10 10' LENGTH - 54 LBS./CTN. 10 PCS./CTN. 16 CTN./PALLET* SG20 20' LENGTH - 54 LBS./CTN. 5 PCS./CTN. 16 CTN./PALLET*	Brown Galvanized Snowmist	
Steel		Stock #S-SG10H-, S-SG20H- 5" K Steel Gutter 28 Gauge SG10H 10' LENGTH - 54 LBS./CTN. 10 PCS./CTN. 16 CTN./PALLET* SG20H 20' LENGTH - 54 LBS./CTN. 5 PCS./CTN. 16 CTN./PALLET*		
Steel		Stock #S-S6SG10-, S-S6SG20- 6" K Steel Gutter 30 Gauge S6SG10 10' LENGTH - 54 LBS./CTN. 10 PCS./CTN. 16 CTN./PALLET S6SG20 20' LENGTH - 54 LBS./CTN. 5 PCS./CTN. 16 CTN./PALLET		
Steel		Stock #S-S6SG10H-, S-S6SG20H- 6" K Steel Gutter 28 Gauge S6SG10H 10' LENGTH - 54 LBS./CTN. 10 PCS./CTN. 16 CTN./PALLET S6SG20H 20' LENGTH - 54 LBS./CTN. 5 PCS./CTN. 16 CTN./PALLET		

Steel Rainware Accessories

COLORS

Steel	 <p>Stock #S-SCAPR-, S-SCAPL- 5" End Cap Right 5" End Cap Left 50 PCS./CTN. 3 LBS./CTN.</p>	Brown Galvanized Snowmist
Steel	 <p>Stock #S-SCAPR6-, S-SCAPL6- 6" End Cap Right 6" End Cap Left 50 PCS./CTN. 3.5 LBS./CTN.</p>	
Steel	 <p>Stock #S-SBMITO- Outside 5" K Miter 20 PCS./CTN. 7 LBS./CTN.</p> <p>Stock #S-SBMITO6- Outside 6" K Miter 20 PCS./CTN. 7.5 LBS./CTN.</p>	
Steel	 <p>Stock #S-SBMITI- Inside 5" K Miter 20 PCS./CTN. 8 LBS./CTN.</p> <p>Stock #S-SBMITI6- Inside 6" K Miter 20 PCS./CTN. 8.5 LBS./CTN.</p>	
Steel	 <p>Stock #S-SSLIPCON- Slip Connector 50 PCS./CTN. 6 LBS./CTN.</p>	
Steel	 <p>Stock #S-SBANDS Downspout/ Pipe Band 100 PCS./CTN. 4 LBS./CTN.</p>	Mill
Steel	 <p>Stock #S-SOUTOVAL Outlet Tube, Wide Flange 2" X 3" OUTOVAL 30 PCS./CTN. - MILL</p> <p>Stock #S-S4OUTOVAL- 3" X 4" OUTOVAL 50 PCS./CTN. - WHITE</p>	



Helpful Tools

Notes:




ARRAY OF COLORS TO COMPLEMENT EVERY HOME

Enjoy the endless design possibilities with our extensive color selection. Our perfectly matched color system between soffit, accessories, rainware and siding is suitable for all home types.

Our exceptional painting system ensures consistency of color, so you know the color you order is exactly what you'll get. Plus, no matter which rich shade is chosen, our products stay true and looking new, with virtually no maintenance.

 PPG Coatings Protected



Depend on Rollex for superior craftsmanship, quality construction and exceptional beauty. Guaranteed with a Lifetime, Limited "No-Nonsense" Warranty

Colors

Beautiful designer colors that will last for years to come.

General Colors



PVC Siding Colors






Aurora Colors



Seneca Colors



Woodland Colors



16" and 12" Soffit System Calculation Charts

To determine the number of soffit panels required for your project, follow these 3 simple steps:

1. Measure the width/depth of the soffit(s) from wall to outside of fascia board.
2. Measure the running length(s) of the overhang.
3. Use one of the charts below to find the number of soffit panels needed.

16" Aluminum Soffit Panels

OVER-HANG LENGTH	WIDTH									
	12"	16"	20"	24"	28"	32"	36"	40"	44"	48"
8'	1	1	1	1	2	2	2	2	2	2
12'	1	1	2	2	2	3	3	3	3	3
16'	1	2	2	2	3	3	3	4	4	4
20'	2	2	3	3	3	4	4	5	5	5
24'	2	2	3	3	4	5	5	6	6	6
28'	2	3	3	4	5	6	6	7	7	7
32'	2	3	4	4	5	6	6	8	8	8
36'	3	3	4	5	6	7	7	9	9	9
40'	3	4	5	5	6	8	8	10	10	10
44'	3	4	5	6	7	9	9	11	11	11
48'	3	4	6	6	8	9	9	12	12	12
52'	4	5	6	7	8	10	10	13	13	13
56'	4	5	6	7	9	11	11	14	14	14
60'	4	5	7	8	9	12	12	15	15	15
64'	4	6	7	8	10	12	12	16	16	16
68'	5	6	8	9	11	13	13	17	17	17
72'	5	6	8	9	11	14	14	18	18	18
76'	5	7	9	10	12	15	15	19	19	19
80'	5	7	9	10	12	15	15	20	20	20
84'	6	7	9	11	13	16	16	21	21	21
88'	6	8	10	11	14	17	17	22	22	22
92'	6	8	10	12	14	18	18	23	23	23
96'	6	8	11	12	15	18	18	24	24	24
100'	7	9	11	13	15	19	19	25	25	25

12" Aluminum Soffit Panels

OVER-HANG LENGTH	WIDTH									
	12"	16"	20"	24"	28"	32"	36"	40"	44"	48"
8'	1	1	2	2	2	2	2	3	3	3
12'	1	2	2	2	3	3	3	4	4	4
16'	2	2	3	3	4	4	4	6	6	6
20'	2	3	3	4	4	5	5	7	7	7
24'	2	3	4	4	5	6	6	8	8	8
28'	3	4	4	5	6	7	7	10	10	10
32'	3	4	5	6	7	8	8	11	11	11
36'	3	4	6	6	8	9	9	12	12	12
40'	4	5	6	7	8	10	10	14	14	14
44'	4	5	7	8	9	11	11	15	15	15
48'	4	6	7	8	10	12	12	16	16	16
52'	5	6	8	9	11	13	13	18	18	18
56'	5	7	8	10	12	14	14	19	19	19
60'	5	7	9	10	12	15	15	20	20	20
64'	6	8	10	11	13	16	16	22	22	22
68'	6	8	10	12	14	17	17	23	23	23
72'	6	8	11	12	15	18	18	24	24	24
76'	7	9	11	13	16	19	19	26	26	26
80'	7	9	12	14	16	20	20	27	27	27
84'	7	10	12	14	17	21	21	28	28	28
88'	8	10	13	15	18	22	22	30	30	30
92'	8	11	14	16	19	23	23	31	31	31
96'	8	11	14	16	20	24	24	32	32	32
100'	9	12	15	17	20	25	25	34	34	34

Net Free Air Chart For Soffit Panels

Type of Soffit Panels	Square inches per linear foot
SYS312L - System 3 - 12" Vented	9.72
SYS312CV - System 3 - 12" Center Vented	3.24
SYS316L - System 3 - 16" Vented	12.96
SYS316CV - System 3 - 16" Center Vented	6.48
VG10L - 10" Vented V-Groove	6.48
VG12L - 12" Vented V-Groove	6.48
TCV - Tensile 12" Center Vented	3.24

Color Selections for Soffit, Fascia, Siding, Trim Coil, Rainware & Accessories

Woodland

*** **B/B** = Black/Brown, **A/A** = Bright White/Bright White, **B/S** = Bronze/Snowmist, **B/C** = Brown/Clay

[illegible]

Soffit is a Critical Component to Proper Attic Ventilations


A properly vented attic will help to:

1. Prevent costly and damaging heat buildup in the summer
2. Prolong roofing materials life
3. Improve the comfort level inside the house, keeping air conditioning costs to a minimum
4. Ensure your shingle warranty remains valid
5. Prevent mold, mildew, rot and poor indoor air quality
6. Fight the formation of ice dams and prevents damage to personal items stored in the attic

How do I ventilate the attic?

The most important thing to keep in mind when ventilating your attic is maintaining the proper intake and exhaust ventilation balance.

You need both intake and exhaust ventilation installed at an approximate 1:1 ratio. Check to see that there is a balance between exhaust vents and intake vents. Pay careful attention to the number and location of the intake vents. Most roofing professionals agree that the best type of ventilation is continuous soffit and ridge ventilation.



What is net free air?

The net free vent area is the portion of the opening of the vent that actually ventilates. Rollex soffit products are the perfect solution for your intake ventilation needs.

Product	NFA	12" Soffit (W)	18" Soffit (W)	24" Soffit (W)
12" Center Vent	3.24	3.24	4.86	6.48
12" Full Vent	9.72	9.72	14.58	19.44
16" Center Vent	6.48	6.48	9.72	12.96
16" Full Vent	12.96	12.96	19.44	25.92
10" Vented Tensile	6.48	6.48	9.72	12.96
12" Vented Tensile	6.48	6.48	9.72	12.96

Doing the math

According to the FHA (Federal Housing Administration- US) for every 300 square feet of attic floor you have you should have, at minimum one square foot of ventilation.

Generally speaking, 1/300 ventilation is required if a vapor retarder is being used or the system is balanced – one-half the vents high on the roof for exhaust and one-half the vents low in the soffit area for intake.

To meet 1/300 code requirements:

Attic square footage divided by 4 = amount of intake Net Free Area (in²) and the amount of exhaust Net Free Area (in²) needed. For example: 1200 square feet divided by 4 = 300 in² NFA intake and 300 in² NFA exhaust.

Please refer to your local building codes or the 2000 International Building Code to ensure you are in compliance.

Frequently Asked Questions

1. How far can you span System 3 soffit?

- a. We recommend the use of an intermediate support nailer 16" on center for spans greater than 24"

2. What can be put over treated lumber so trim coil can be used?

- a. We recommend the use of a non-perforated, non woven weatherization system that provides an air and water resistant barrier.

3. How do you cut Steel siding?

- a. Steel siding can be cut using either a guillotine or a circular saw with a ferrous blade. We recommend Tenryu blades (PRF-18548 BWK 7 1/4" 48 tooth and PRF 18556CB 7 1/4" 56 tooth)

4. Do you need to use aluminum nails to install aluminum siding?

- a. Yes. Nails should be driven straight and level, never slanted up or down so as to possibly cause distortion of the panel. Use 2 inch nails (or longer) for non-insulated siding, as well as most trim accessories.

5. Can you put trim coil up against copper?

- a. No. We do not recommend using trim coil in direct contact with dissimilar materials such as copper, zinc or steel as well as treated lumber, concrete, stucco or other corrosive non-metallic material. Claims resulting from contact with dissimilar materials are not covered under the warranty.

6. What is the recycled content of your aluminum and steel?

The aluminum we use has approximately 80% post consumer and 20% pre consumer recycled content, although this can vary depending on the availability of scrap at any given time.

The steel we normally use has 25% recycled content but can range between 20 and 30%.

7. Where does Rollex purchase its metal?

Generally at Rollex we strive to source materials from within 500 miles of our Elk Grove Village facility to reduce emissions and save energy.

8. How many facilities does Rollex have?

Rollex has one facility located approximately 15 minutes from O'Hare airport in Elk Grove Village, IL.

9. Does Rollex paint its own product?


Yes. Our onsite paint line allows for precise color matching and quality control to ensure each coil is painted to our specifications. Rollex is one of the few building product manufacturers with an in-house paint line system.

10. Are your products LEED certified?

Although our products are not currently LEED certified many currently hold green certification from the NAHB Research Center. To view product certificates please visit www.rollex.com/products/green-certified-products.



Gutter Coil Length Calculation Chart



THICKNESS

The figures below are approximate and based on coils having a 16" center opening (arbor).



Thickness	.027 x 11 7/8" Lb./Ft	.032 x 11 7/8" Lb./Ft	.032 x 15" Lb./Ft
1/2"	30/80	30/68	38/68
3/4"	46/122	46/103	59/103
1"	62/165	62/139	79/139
1 1/4"	79/209	79/176	100/176
1 1/2"	96/255	96/215	122/215
1 3/4"	114/301	114/254	145/254
2"	132/349	132/295	168/295
2 1/4"	150/398	150/336	191/336
2 1/2"	169/449	169/379	215/379
2 3/4"	189/500	189/422	240/422
3"	208/553	208/467	266/467
3 1/4"	229/607	229/512	292/512
3 1/2"	249/661	249/559	318/559
3 3/4"	271/718	271/606	345/606
4"	292/775	292/655	373/655
4 1/4"	314/834	314/704	401/704
4 1/2"	337/894	337/755	430/755
4 3/4"	360/955	360/807	459/807
5"	384/1018	384/860	489/860
5 1/4"	408/1082	408/913	520/913

5" Gutter Coil Conversion Chart									
	Weight	Feet	Weight	Feet	Weight	Feet	Weight	Feet	Weight
	1	2.28	31	70.78	61	139.26	91	207.75	121
	2	4.57	32	73.06	62	141.55	92	210.04	122
	3	6.84	33	75.34	63	143.83	93	212.32	123
	4	9.13	34	77.62	64	146.11	94	214.6	124
	5	11.42	35	79.91	65	148.4	95	216.89	125
	6	13.7	36	82.19	66	150.68	96	219.17	126
	7	15.98	37	84.47	67	152.96	97	221.45	127
	8	18.26	38	86.75	68	155.24	98	223.73	128
	9	20.55	39	89.03	69	157.53	99	226.02	129
	10	22.83	40	91.32	70	159.81	100	228.3	130
	11	25.11	41	93.60	71	162.09	101	230.58	131
	12	27.4	42	95.89	72	164.38	102	232.87	132
	13	29.68	43	98.17	73	166.66	103	235.15	133
	14	31.96	44	100.45	74	168.94	104	237.43	134
	15	34.25	45	102.74	75	171.23	105	239.72	135
	16	36.53	46	105.02	76	173.51	106	242	136
	17	38.81	47	107.3	77	175.79	107	244.28	137
	18	41.1	48	109.58	78	178.07	108	246.56	138
	19	43.38	49	111.87	79	180.36	109	248.85	139
	20	45.66	50	114.15	80	182.64	110	251.13	140
	21	47.94	51	116.43	81	184.92	111	253.41	141
	22	50.23	52	118.72	82	187.21	112	255.7	142
	23	52.51	53	121	83	189.49	113	257.98	143
	24	54.8	54	123.28	84	191.77	114	260.26	144
	25	57.08	55	125.57	85	194.06	115	262.55	145
	26	59.36	56	127.85	86	196.34	116	264.83	146
	27	61.64	57	130.13	87	198.62	117	267.11	147
	28	63.92	58	132.41	88	200.9	118	269.39	148
	29	66.21	59	134.7	89	203.19	119	271.68	149
	30	68.49	60	136.98	90	205.47	120	273.96	150

6" Gutter Coil Conversion Chart

Weight	Feet	Weight	Feet	Weight	Feet	Weight	Feet	Weight	Feet
1	1.79	31	55.34	61	108.89	91	162.44	121	215.99
2	3.57	32	57.12	62	110.67	92	164.22	122	217.77
3	5.36	33	58.91	63	112.46	93	166.01	123	219.56
4	7.14	34	60.69	64	114.24	94	167.79	124	221.34
5	8.93	35	62.48	65	116.03	95	169.58	125	223.13
6	10.71	36	64.26	66	117.81	96	171.36	126	224.91
7	12.5	37	66.05	67	119.6	97	173.15	127	226.7
8	14.28	38	67.83	68	121.38	98	174.93	128	228.48
9	16.1	39	69.62	69	123.17	99	176.72	129	230.27
10	17.85	40	71.4	70	124.95	100	178.5	130	232.05
11	19.64	41	73.19	71	126.74	101	180.29	131	233.84
12	21.42	42	74.97	72	128.52	102	182.07	132	235.62
13	23.21	43	76.76	73	130.31	103	183.86	133	237.41
14	24.99	44	78.54	74	132.09	104	185.64	134	239.19
15	26.78	45	80.33	75	133.88	105	187.43	135	240.98
16	28.56	46	82.11	76	135.66	106	189.21	136	242.76
17	30.35	47	83.9	77	137.45	107	191	137	244.55
18	32.13	48	85.68	78	139.23	108	192.78	138	246.33
19	33.92	49	87.47	79	141.02	109	194.57	139	248.12
20	35.7	50	89.25	80	142.8	110	196.35	140	249.9
21	37.49	51	91.04	81	144.59	111	198.14	141	251.69
22	39.27	52	92.82	82	146.37	112	199.92	142	253.47
23	41.06	53	94.61	83	148.16	113	201.71	143	255.26
24	42.84	54	96.39	84	149.94	114	203.49	144	257.04
25	44.63	55	98.18	85	151.73	115	205.28	145	258.83
26	46.41	56	99.96	86	153.51	116	207.06	146	260.61
27	48.2	57	101.75	87	155.3	117	208.85	147	262.4
28	49.98	58	103.53	88	157.08	118	210.63	148	264.18
29	51.77	59	105.32	89	158.87	119	212.42	149	265.97
30	53.55	60	107.1	90	160.65	120	214.2	150	267.75

Aluminum Building Products Warranty

Lifetime Warranty; A Limited and Transferable Warranty

Coverage

Rollex Corporation ("Rollex") warrants to the original homeowner that Rollex aluminum building products are free from manufacturing defects and when used as intended under conditions of ordinary wear will not peel, chip, crack, split, flake or blister. Rollex warrants for a period of twenty five years from date of installation, that color change in panels used as intended will not vary more than seven color difference units and that chalk erosion for colors will not exceed a numerical rating of six units over the same period of time.* This warranty does not cover non-uniform color changes resulting from unequal exposure to sunlight.

If a product fails to perform in accordance with the above standards, after written notification and validation of the condition by inspection, Rollex Corporation will repair or replace, at its option, any defective product, assuming 100% of the cost. In the event of repair or replacement under the terms of this warranty, the original warranty terms and duration will remain in effect for the remaining warranty term.

All warranty claims shall be settled between the owner and Rollex. Rollex may direct and pay a contractor to perform any remedial work under this warranty. If any corrective work on or replacement of warranted products is performed by the homeowner or anyone engaged by homeowner prior to receiving written permission to do so from Rollex, such action will void the homeowner's coverage under this warranty.

The liability of Rollex for a claim under this warranty shall in no event exceed the homeowner's original purchase price- including labor and taxes- for the product involved. It shall be the homeowner's obligation to provide documentation or other reasonable evidence of such original costs.

*Color difference units are determined by Tristimulus Colorimetry - A.S.M. D2244 -08. Numerical chalk erosion ratings are determined by standard methods of evaluating degree of chalking - A.S.T.M. D4214-07.

Duration

1. Original Owner: This warranty is in effect for the lifetime of the original homeowner so long as such original homeowner continues to own the home where Rollex products have been installed.
2. Second Owner: This warranty can be transferred by the original owner to whom is issued to the next owner of the property. Upon completion of the transfer, the warranty period shall be limited to 50 years from the original date of installation of the Rollex products; provided, however, Rollex and the

second owner shall share the cost of repair or replacement of any defective products, including labor and materials. (Please see "Allocation of Warranty Costs When Applicable")

3. Institutional Owner: For an owner such as a corporation, partnership, group, governmental agency, association, or other organization capable of enduring for generations, this warranty is limited to a period of 50 years from the date of original installation of Rollex products.

Warranty Registration

This warranty is valid only after the registration card has been completed by the Rollex building products dealer, signed by the original owner and mailed to Rollex within 30 days after installation has been completed. Failure to register within the 30 day period set forth above will not void the warranty, but registration will confirm the date of purchase and will assist Rollex in processing any warranty claim that might arise in the future. This confirmation is a benefit to the homeowner in case original proof of purchase cannot be found.

Exclusions and Limitations

This warranty does not cover damage resulting from any of the following: faulty installation (including but not limited to waving and/or buckling caused by improper installation); "oil canning" (perceived waviness in the flat areas of metal siding panels); fire, lightning, hurricane, hail storm, wind storm, earthquake or other acts of God; accidental damage or vandalism; impact of foreign objects; structural shrinkage or distortion; lap abrasion; harmful chemicals, pesticides, fumes or vapors; direct contact with and water run-off from dissimilar metals or other materials (e.g., metals such as copper, zinc and steel, or other materials such as concrete, blacktop, stucco, asbestos siding, pressure treated or pre-treated lumber, roofing materials or roofing systems containing metallic granules or strips, or other corrosive non-metallic materials); damage resulting from painting, varnishing, coating or otherwise altering the surface of the products except in strict accordance with Rollex's instructions or guidelines; distortion or warping caused by excessive heat sources such as window reflection, skylights, outdoor grills and other items which can cause products to distort or change color due to excessive heat buildup; surface deterioration due to air pollution and airborne stains; misuse or abuse; normal weathering; acid rain; salt spray directly applied or in the atmosphere; mildew accumulation; owner's failure to provide normal cleaning and maintenance of the product (please see care and maintenance instructions); and/or other causes beyond the control of Rollex.

This is the homeowner's exclusive warranty and is in lieu of all other warranties, express or implied, except as may be required by applicable law. Without limiting the generality of the foregoing, Rollex shall not be liable for any breach of any other written or oral warranties given to the homeowner by any third party(ies) such as those (if any) given to the homeowner by dealers, contractors, applicators or distributors of the products.

ROLLEX IS NOT LIABLE FOR INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES FOR THE PRODUCTS COVERED BY THIS WARRANTY. REPAIR OR REPLACEMENT IS THE EXCLUSIVE REMEDY AVAILABLE UNDER THIS WARRANTY.

Rollex reserves the right to discontinue or make changes in any of its products. If the products covered by this warranty are not available, Rollex has the right to substitute a product of equal or greater quality or value.

Rollex does not hereby undertake to repair or replace non-defective Rollex products. Rather, Rollex may elect to repair or replace only the particular portion(s) of such Rollex products that is/are defective and/or excessively faded (as per the terms of this warranty) and we cannot and do not guarantee an exact color match with regard to the replacement product(s) as compared to the adjacent non-replaced products. Color variance may occur between replacement products in comparison with the original products due to normal weathering and aging of the original products, and this is not indicative of a defect in either the replacement products or the original products.

This warranty gives you specific legal rights; you may also have other rights which may vary from state to state. Pertinent state law shall also control for what period of time following the sale a homeowner/consumer may seek a remedy under the implied warranty of merchantability or fitness for a particular purpose. Some states do not allow the exclusion or limitation of incidental or consequential damages so the above limitation or exclusion may not apply to you.

Claims Procedure

A claim under this warranty must be presented in writing within 30 days following the discovery of any warranted defects to Rollex Corporation, 800 Chase Avenue, Elk Grove Village, Illinois 60007 Attention: Warranty Service Department.

The claim should be accompanied by a copy of this warranty certificate, and a description of the defect.

Corrective work on warranted products may not be started prior to receiving permission to do so from Rollex.

Ultimate determination of the existence and extent of any claimed manufacturing defect hereunder shall be made by Rollex in its sole discretion. As noted above, corrective work on warranted products may not be started prior to receiving permission to do so from Rollex, and Rollex reserves the right to perform such corrective work itself or through others retained by it. Homeowner shall cooperate with Rollex and its contractors in connection with the scheduling and performance of any corrective or replacement work hereunder.

In the case of second and institutional owners, after five years of the warranty period have elapsed, a claim under this warranty must be accompanied by a \$50 payment to Rollex. Checks should be made payable to Rollex Corporation and mailed to the above address.

Warranty Transfer

This warranty may be transferred from the original owner to whom it was issued to the next owner of the property provided Rollex receives written notice within 30 days of the date of the transfer. Notice must include the original owner's name as shown on the warranty certificate, the name of the new owner, the warranty certificate registration number and the date Rollex products were installed on the property.

Upon transfer of the property, the warranty period shall be limited to 50 years from the date of installation. Rollex and the new owner shall share in the cost of repair or replacement of any defective product, including labor and materials as described below.

Allocation of Warranty Cost When Applicable

For second and institutional owners the cost, including labor and materials, to repair or replace defective products shall be allocated between the owner and Rollex according to the following schedule: Rollex will assume 100% of such costs for validated claims made during the first five years of the warranty period. During the sixth year, Rollex's share of such costs will be 90%, and the homeowner's share will be 10%. Each year thereafter, through the thirteenth year, Rollex's share of such costs will cumulatively decrease from 90% by 10% per year. Starting with the fourteenth year of the warranty period, and for the balance of the warranty period, Rollex's share will be 10% and the owner's share will be 90% of such costs.

Effective only for Rollex products purchased in or after January 2009



Architectural Specifications

Aluminum Siding, Soffit and Fascia

- Siding, soffit and fascia are made of 3105 or equivalent aluminum alloy. Soffit is H28 or equivalent hardness, siding and fascia H26 or equivalent.

Thickness: 0.019" nominal
0.024" nominal

- Meets performance requirements of AAMA 1402-86.
 - Coating Characteristics
- Gloss:
8 to 12 on 60° Photovolt Meter,
ASTM test D523.
 - Formability:
No removal of finish with 610 Scotch tape
on a 2T bend. NCCA test 11-19.
 - Pencil Hardness:
Eagle Turquoise, HB Minimum.
 - Adhesion:
8 to 12 on 60° Photovolt Meter,
ASTM test D523.
 - Humidity Resistance:
No loss of gloss, cracking or peeling after 3,000 hrs.
in 100% relative humidity, ASTM test D714 and
method 6201 of FTMS 141a.
 - Salt Spray Resistance:
Withstand 5% salt fog for 3,000 hrs.
ASTM test B117.
 - Impact Resistance:
No visual cracking or Scotch tape pick-off when
subject to impact in inch pounds equal to 1,500
times metal thickness. NCCA test 11-6.
 - Exterior Exposure:
Fade: Shall not exceed more than 5 Color Difference
Units within 5 years after removal
external deposits.
ASTM test D2244.
 - Dry Film Thickness:
.70-1.00 Mils.

Steel Siding and Accessories

- Siding is made from roll formed 0.0172 inch (nominal) thick hot dipped galvanized steel complying with ASTM A653 and having minimum yield and ultimate strength of 33,000 and 55,000 psi respectively.
- Coating Characteristics: Dry film thickness limits: 4 mils nominal Gloss range: 10° to 15° on 60° photovolt meter.
- Withstands Category 5 Hurricane winds over 155 mph*

- Adhesion of Film:
(a). No blistering or loss of adhesion after immersion in distilled boiling water for a minimum of 4 hours followed by a minimum 4 hour freeze test. (b). Rollex PVC finish shall not be removed from cross hatched lines scored 1/8" apart after application of No. 600 Scotch tape.
- Flexibility:
(a). Mechanical tests at 77° F showed no fracture of the coating at 10X magnification or any loss of adhesion when tested with No. 600 Scotch tape. (b). Reverse Impact: Garner impact Tester- 5/8" Steel Ball, 120 inch lbs., 29 gauge steel. (c). Bending: OT 180° bend, 29 gauge steel. (d). Draw: Tinius Olsen Test-1" steel ball, 0.3 inch uniform draw.
- Elongation:
Shall withstand a minimum elongation of 120%.
- Tensile Strength:
Rollex finish shall have a minimum of 2,200 lbs./square inch of cross sectional area when tested according to ASTM D882-56T.
- Abrasive Resistance:
Standard Tabor Abraser Test at 77° F, when using a CS No. 10 wheel with 500 GM load, film loss shall be 1.0 mil per 2,500 cycles, maximum. Typical 4 mil Rollex PVC finish shall withstand 10,000 cycles minimum.
- Accelerate Tests:
Humidity Cabinet: Rollex PVC finish panels given a 90° bend and subjected to 100% Relative Humidity at 100°F (+/- 5°F) for 1,000 hours showed no blistering, cracking, loss of gloss or peeling and no softening after 24 hour recovery.
- Salt Spray:
Rollex PVC finish, when subjected to a 5% salt solution (ASTM B117), shall withstand 1,000 hours exposure without blistering or loss of adhesion.
- Weatherometer:
Rollex PVC tested in accordance with ASTM D822-57T after a period of 2,000 actual light hours with humidity control shall show no cracking, crazing or loss of adhesion. The maximum allowable chalk and color change shall be:
(a). Chalking: No greater than ASTM D659-44 No. 8 rating, based on a scale of 10 being excellent. (b). Color Change: No greater than 5 N.B.S. Units after removal of external deposits.
- Chemical Resistance:
Rollex PVC finish will withstand total or partial immersion in most acids at concentrations up to 40% and all alkali and salt solutions.

*Wind speed rating will vary depending on specific regional construction methods and codes. Please refer to local building codes for detailed requirements concerning allowable wind loads and specific conversion tables for actual wind speed.



Depend on Rollex

for superior craftsmanship, quality construction and exceptional beauty. All of this guaranteed with a lifetime, limited "no-nonsense" warranty. A home is most likely a family's single greatest investment, and for more than 60 years Rollex has been manufacturing innovative building products to help homeowners protect their most valuable asset. Rollex is the preferred choice of knowledgeable contractors and has become a trusted name to millions of homeowners nationwide as well.



Rollex Corporation

800 Chase Avenue, Elk Grove Village, IL 60007
800.251.3300 | marketing@rollex.com
www.rollex.com